

AXIOM

Ceiling Fans • Disk Lights
Outdoor • Utility • Area Lighting
Landscape • Post Tops • Track
Exit/Emergency



2023

Lighting Catalog



**VETERAN OWNED
& OPERATED**



Headquarters
Point, TX



Quick Reference

Ceiling Fans



Reference #	Wattage	Details
CF901	17W ILED	Indoor/Wall Control



Reference #	Wattage	Details
CF902	15W ILED	Indoor/Wall Control



Reference #	Wattage	Details
CF903	Light Kit Optional	Indoor/Wall Control
CF904	Light Kit Optional	Indoor/Pull Chain



Reference #	Wattage	Details
CF905	Light Kit Optional	Indoor/Wall Control
CF906	Light Kit Optional	Indoor/Pull Chain



Reference #	Wattage	Details
CF907	20W (2x 10W E26)	Indoor/Wall Control



Reference #	Wattage	Details
CF908	Light Kit Not Included	Indoor/Wall Control



Reference #	Wattage	Details
CF909	20W (2x 10W E26)	Indoor/Pull Chain



Reference #	Wattage	Details
CF910	20W (2x 10W E26)	Indoor/Wall Control



Reference #	Wattage	Details
CF911	17W ILED	Indoor/Wall Control



Reference #	Wattage	Details
CF912	10W (1x 10W E26)	Indoor/Pull Chain



Reference #	Wattage	Details
CF913	20W ILED	Indoor/Wall Control
CF914	20W ILED	Indoor/Wall Control



Reference #	Wattage	Details
CF915	20W ILED	Indoor/Wall Control

Quick Reference

Ceiling Fans



Reference #	Wattage	Details
CF916	20W ILED	Indoor/Pull Chain



Reference #	Wattage	Details
CF917	15W ILED	Indoor/Wall Control



Reference #	Wattage	Details
CF918	20W (2x 10W E26)	Indoor/Wall Control
CF919	20W (2x 10W E26)	Indoor/Pull Chain



Reference #	Wattage	Details
CF920	20W (2x 10W E26)	Indoor/Wall Control
CF921	20W (2x 10W E26)	Indoor/Remote Control



Reference #	Wattage	Details
CF922	20W (2x 10W E26)	Indoor/Wall Control
CF923	20W (2x 10W E26)	Indoor/Remote Control



Reference #	Wattage	Details
CF924	20W (2x 10W E26)	Indoor/Wall Control
CF925	20W (2x 10W E26)	Indoor/Remote Control



Reference #	Wattage	Details
CF926	Light Kit Not Included	Indoor/Wall Control



Reference #	Wattage	Details
CF927	Light Kit Not Included	Indoor/Wall Control



Reference #	Wattage	Details
CF928	20W (2x 10W E26)	Indoor/Wall Control



Reference #	Wattage	Details
CF929	Light Kit Not Included	Indoor/Wall Control



Reference #	Wattage	Details
CF930	Light Kit Not Included	Indoor/Wall Control



Reference #	Wattage	Details
CF931	10W (1x 10W E12)	Indoor/Wall Control

Quick Reference

Ceiling Fans



Reference #	Wattage	Details
CF932	20W LK330	Indoor/Wall Control/LK Separate



Reference #	Wattage	Details
CF933	20W LK334	Indoor/Pull Chain



Reference #	Wattage	Details
CF934	10W (1x 10W E26)	Indoor/Wall Control



Reference #	Wattage	Details
CF935	20W LK9334	Indoor/Pull Chain/LK Sold Separately



Reference #	Wattage	Details
CF936	20W LK330	Indoor/Pull Chain/LK Sold Separately



Reference #	Wattage	Details
CF937	20W (2x 10W E26)	Indoor/Pull Chain



Reference #	Wattage	Details
CF938	15W ILED	Indoor/Wall Control



Reference #	Wattage	Details
CF939	Light Kit Not Included	Indoor/Pull Chain



Reference #	Wattage	Details
CF940	Light Kit Not Included	Outdoor/Pull Chain



Reference #	Wattage	Details
CF941	20W LK330	Indoor/Pull Chain



Reference #	Wattage	Details
CF942	Light Kit Not Included	Indoor/Pull Chain



Reference #	Wattage	Details
CF943	10W (1x 10W E26)	Indoor/Pull Chain

Quick Reference

Ceiling Fans



Reference #	Wattage	Details
CF944	20W ILED	Indoor/Remote Control



Reference #	Wattage	Details
CF945	20W (2x 10W)	Outdoor/Indoor Remote Con.



Reference #	Wattage	Details
CF946	20W (2x 10W)	Outdoor/Indoor Remote Con.



Reference #	Wattage	Details
CF947	20W (2x 10W)	Outdoor/Indoor Remote Con.



Reference #	Wattage	Details
CF948	20W (2x 10W)	Outdoor/Indoor Remote Con.



Quick Reference

Fan Light Kits



Reference #	Wattage
LK901	20W (2x 10W E26)



Reference #	Wattage
LK902	20W (2x 10W E26)



Reference #	Wattage
LK903	20W (2x 10W E26)



Reference #	Wattage
LK904	20W (2x 10W E26)



Reference #	Wattage
LK905	15W ILED



Reference #	Wattage
LK906	15W ILED



Reference #	Wattage
LK907	15W ILED



Reference #	Wattage
LK908	20W (2x 10W)



Reference #	Wattage
LK909	30W (3x 10W E26)



Reference #	Wattage
LK910	40W (4x 10W E26)



Reference #	Wattage
LK911	10W (1x 10W E26)



Reference #	Wattage
LK912	20W (2x 10W E26)



Reference #	Wattage
LK913	20W (2x 10W E26)

Quick Reference

Fan Accessories



Reference #	Description
FA901	Clear Ribbed Glass



Reference #	Description
FA902	Alabaster Glass



Reference #	Description
FA903	White Opal Glass



Reference #	Description
FA904	Tuscan Scavo Glass



Reference #	Description
WC1	Fan/Light Wall Dimming Control



Reference #	Description
WC2	Fan/Light Wall Control



Reference #	Description
DR1	12" Downrod
DR2	18" Downrod
DR3	24" Downrod
DR4	30" Downrod
DR5	36" Downrod
DR6	48" Downrod
DR7	60" Downrod
DR8	72" Downrod



Description
Coupler

Fan Blade Finishes



Description
Black



Description
Bleached Oak



Description
Brushed Nickel



Description
Cherry




Description
Dark Cherry



Description
Light Oak



Description
Mahogany



Description
Maple



Description
White




Description
Washed Pine



Description
Washed Oak



Description
Walnut



Description
Pickled Oak



Description
Oak



Description
Rosewood

Quick Reference

Disk Lighting



Reference #	Watts	Lumens	Dimensions
DL1-8	8W	570	5.9" x 1.2"
DL1-10	10W	800	7.4" x 1.2"
DL1-15	15W	1,050	
DL1-16	16W	1,000	7.4" x 1.2" (277v)
DL1-30	30W	2,200	9.5" x 1.2"



Reference #	Watts	Lumens	Dimensions
DL2-10	10W	600	5.5" x 0.79"
DL2-15	15W	1,050	9" x 0.79"
DL2-18	18W	1,600	9" x 0.79"
DL2-25	25W	2,200	12" x 0.79"



Reference #	Watts	Lumens	Dimensions
DL3-8	8W	660	5.5" x 0.625"
DL3-15	15W	1,000	6.28" x 0.625"
DL3-18	18W	1,200	8" x 0.625"
DL3-25	25W	1,850	12" x 0.625"



Reference #	Watts	Lumens	Dimensions
DL3-15	15W	1,050	7.2" x 1.2"
DL3-25	25W	1,400	11.5" x 1.2"



Reference #	Watts	Lumens	Dimensions
DL4-15	15W	1,050	7.5" x 1"
DL4-18	18W	1,200	



Reference #	Watts	Lumens	Dimensions
DL5-12	12W	800	7.1" x 0.55"



Reference #	Watts	Lumens	Dimensions
DL5-15	15W	1,050	7.5" O.D.



Reference #	Watts	Lumens	Dimensions
DL6-13	13W	1,050	7.5" x 1"



Reference #	Watts	Lumens	Dimensions
DLEM1-15	15W	1,050	7.4" x 1.2"
DLEM1-30	30W	2,200	9.5" x 1.2"



Reference #	Watts	Lumens	Dimensions
DLEM2-25	25W	1,400	12" x 1.38"



Reference #	Watts	Lumens	Dimensions
DLEM3-15	15W	1,050	7.2" x 1.2"



Reference #	Watts	Lumens	Dimensions
DLTD-C-11 DLTD-R-11	11W	1,050	7.4" x 1.2"
DLTD-C-10.5 DLTD-R-10.5	10.5W	950	4" x 2.126" x 0.394"

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-501	1xE26	7.875"W x 12.25"H x 9.125" Ext.



Reference #	Watts	Dimensions
WS-O-502	1xE26	8.5"W x 16.75"H x 10.75" Ext.



Reference #	Watts	Dimensions
WS-O-503	1xE26	5.63"W x 9.5"H x 6.75" Ext.



Reference #	Watts	Dimensions
WS-O-504	1xE26	7"W x 12.5"H x 7.75" Ext.



Reference #	Watts	Dimensions
WS-O-505	1xE26	6.25"W x 10.5"H x 7" Ext.



Reference #	Watts	Dimensions
WS-O-506	1xE26	9"W x 14.5"H x 10" Ext.



Reference #	Watts	Dimensions
WS-O-507-S	1xE26	6.15"W x 10"H x 7.3" Ext.
WS-O-507-M	1xE26	8"W x 12.25"H x 9.5" Ext.
WS-O-507-L	1xE26	9"W x 14.5"H x 10.5" Ext.



Reference #	Watts	Dimensions
WS-O-508	15W	11"W x 17.75"H x 12.25" Ext.



Reference #	Watts	Dimensions
WS-O-509	9W	6.5"W x 8.375"H x 7.375" Ext.



Reference #	Watts	Dimensions
WS-O-510	1xE26	5.13"W x 13.5"H x 6.25" Ext.



Reference #	Watts	Dimensions
WS-O-511	1xE26	5.88"W x 7.63"H x 4.88" Ext.



Reference #	Watts	Dimensions
WS-O-512	1xE26	5.5"W x 10"H x 6.5" Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-513	10W	6"W x 8"H x 4.5" Ext.



Reference #	Watts	Dimensions
WS-O-514	1xE26	7.75"W x 9.5"H x 4.5" Ext.



Reference #	Watts	Dimensions
WS-O-515	1xE26	6.15"W x 10"H x 7.3" Ext.



Reference #	Watts	Dimensions
WS-O-516	1xE26	5.75"W x 8"H x 4.5" Ext.



Reference #	Watts	Dimensions
WS-O-517	1xE26	4.5"W x 8.5"H x 6" Ext.



Reference #	Watts	Dimensions
WS-O-518	1xE26	4.5"W x 7"H x 5.88" Ext.



Reference #	Watts	Dimensions
WS-O-519	1xE26	6"W x 8.75"H x 7" Ext.



Reference #	Watts	Dimensions
WS-O-520	1xE26	4.38"W x 7.25"H x 7.5" Ext.



Reference #	Watts	Dimensions
WS-O-521	1xE26	4.38"W x 7"H x 7.5" Ext.



Reference #	Watts	Dimensions
WS-O-522	2xE26	4.5"W x 12"H x 7.5" Ext.



Reference #	Watts	Dimensions
WS-O-523-9	2x9W	4.25"W x 11.8"H x 6.76" Ext.
WS-O-523-12	2x12W	4.25"W x 11.8"H x 6.76" Ext.
WS-O-523-18	2x18W	5.75"W x 11.8"H x 8.26" Ext.
WS-O-523-24	2x24W	6.3"W x 11.8"H x 8.81" Ext.
WS-O-523-30	2x30W	6.3"W x 11.8"H x 8.81" Ext.



Reference #	Watts	Dimensions
WS-O-524-9	9W	4.25"W x 7.87"H x 2.51" Ext.
WS-O-524-12	12W	4.25"W x 7.87"H x 2.51" Ext.
WS-O-524-18	18W	4.25"W x 7.87"H x 2.51" Ext.
WS-O-524-24	24W	4.25"W x 7.87"H x 2.51" Ext.
WS-O-524-30	30W	4.25"W x 7.87"H x 2.51" Ext.

Quick Reference

Outdoor Lighting



Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-525	12W	4.56"W x 6"H x 4" Ext.

Reference #	Watts	Dimensions
WS-O-526	16W	4.5"W x 5"H x 6"Ext.

Reference #	Watts	Dimensions
WS-O-527	9W	4.25"W x 6.3"H x 4"Ext.



Reference #	Watts	Dimensions
WS-O-537	6W	5"W x 6.25"H x 4"Ext.

Reference #	Watts	Dimensions
WS-O-538	1xE26	5"W x 14"H x 4"Ext.

Reference #	Watts	Dimensions
WS-O-539	5W	6"W x 10.24"H x 3"Ext.



Reference #	Watts	Dimensions
WS-O-528	2xE26	6"W x 15"H x 8.3" Ext.

Reference #	Watts	Dimensions
WS-O-529	1xE26	4.375"W x 7"H x 4.25"Ext

Reference #	Watts	Dimensions
WS-O-530	1xE26	6"W x 9"H



Reference #	Watts	Dimensions
WS-O-530	10W	5.1"W x 4.7"H x 3.5"Ext.

Reference #	Watts	Dimensions
WS-O-531	16W	4.5"W x 8.25"H x 4"Ext.

Reference #	Watts	Dimensions
WS-O-532	7W	4"W x 4"H x 4"Ext.



Reference #	Watts	Dimensions
WS-O-531	16W	5"W x 12"H x 4"Ext.

Reference #	Watts	Dimensions
WS-O-532	12W	4.5"W x 9"H x 4"Ext.

Reference #	Watts	Dimensions
WS-O-533	9.6W	7.13"W x 5.13"H x 3.88"Ext.



Reference #	Watts	Dimensions
WS-O-533	16W	6"W x 6.75"H x 3"Ext.

Reference #	Watts	Dimensions
WS-O-534	1xGU24	8.25"W x 10"H x 5.75"Ext.

Reference #	Watts	Dimensions
WS-O-535	7W	5"W x 5"H x 3"Ext.



Reference #	Watts	Dimensions
WS-O-534	10W	4"W x 4"H x 5.75"Ext.

Reference #	Watts	Dimensions
WS-O-535	8W	3.5"W x 4.75"H x 4"Ext.

Reference #	Watts	Dimensions
WS-O-536	9W	4.25"W x 5"H x 3.9"Ext.



Reference #	Watts	Dimensions
WS-O-536	1xE26	8"W x 14.5"H x 4"Ext.

Reference #	Watts	Dimensions
WS-O-537	9W	8"W x 8"H x 3"Ext.

Reference #	Watts	Dimensions
WS-O-538	6W	4.5"W x 4.5"H x 1"Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-539	10W	7"W x 2.75"H x 3" Ext.



Reference #	Watts	Dimensions
WS-O-540	29W	12"W x 7"H x 3.75"Ext.



Reference #	Watts	Dimensions
WS-O-541	9W	4.4"W x 4.4"H x 3.8"Ext.



Reference #	Watts	Dimensions
WS-O-542	8W	4.75"W x 3.25"H x 2.25" Ext.



Reference #	Watts	Dimensions
WS-O-543	10W	11"W x 8"H x 3.75"Ext.



Reference #	Watts	Dimensions
WS-O-544	6W	9.8"W x 7.9"H x 8.9" Ext.



Reference #	Watts	Dimensions
WS-O-545	9W	5.5"W x 4.5"H x 4"Ext.



Reference #	Watts	Dimensions
WS-O-546	1xE26	10"W x 5.25" Ext.



Reference #	Watts	Dimensions
WS-O-547	1xE26	10.25"W x 5.25" Ext.



Reference #	Watts	Dimensions
WS-O-548-S	1xE26	10"W x 5.25" Ext.
WS-O-548-L	1xE26	10.25"W x 5.25" Ext.



Reference #	Watts	Dimensions
WS-O-549	1W	4"W x 4"H x 2"Ext.



Reference #	Watts	Dimensions
WS-O-550	1xE26	6.5"W x 10"H x 5" Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-551	1xE26	8.5"W x 16.75"H x 10.75" Ext.



Reference #	Watts	Dimensions
WS-O-552	1xE26	7.25"W x 11"H x 3.38" Ext.



Reference #	Watts	Dimensions
WS-O-553	1xE26	6.15"W x 10"H x 7.3" Ext.



Reference #	Watts	Dimensions
WS-O-554	1xE26	8.25"W x 4.25"H x 3.5"Ext.



Reference #	Watts	Dimensions
WS-O-555	1xE26	10.5"W x 6.5"H x 5" Ext.



Reference #	Watts	Dimensions
WS-O-556	1xE26	5.5"W x 8.75"H x 4.75" Ext.



Reference #	Watts	Dimensions
WS-O-557	1xE26	5.5"W x 8.75"H x 4.75" Ext.



Reference #	Watts	Dimensions
WS-O-558	24W	16"W x 20"H x 32"Ext.



Reference #	Watts	Dimensions
WS-O-559	11W	9"W x 19"H x 11.25"Ext.



Reference #	Watts	Dimensions
WS-O-560	1xE26	8"W x 10"H 12.38"Ext.



Reference #	Watts	Dimensions
WS-O-561	1xE26	12"W x 10.63"H x 17.13"Ext.



Reference #	Watts	Dimensions
WS-O-562	1xE26	7"W x 12.5"H x 7.75" Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-563	1xE26	7.5"W x 13.75"H x 14.75" Ext.



Reference #	Watts	Dimensions
WS-O-564	1xE26	10"W x 11"H x 10" Ext.



Reference #	Watts	Dimensions
WS-O-565	1xE26	12"W x 18.5"H x 27.5" Ext.



Reference #	Watts	Dimensions
WS-O-566	1xE26	6"W x 7.25"H x 6" Ext.



Reference #	Watts	Dimensions
WS-O-567	1xE26	6"W x 9.5"H x 11" Ext.



Reference #	Watts	Dimensions
WS-O-568	1xE26	5"W x 11.25"H x 19.25" Ext.



Reference #	Watts	Dimensions
WS-O-569	1xE26	6"W x 7.25"H x 6" Ext.



Reference #	Watts	Dimensions
WS-O-570-S	9W	8"W x 8.25"H x 10.25" Ext.

Reference #	Watts	Dimensions
WS-O-570-L	1xE26	12"W x 10.5"H x 13.25" Ext.



Reference #	Watts	Dimensions
WS-O-571	1xE26	8.25"W x 10.75"H x 10.5" Ext.



Reference #	Watts	Dimensions
WS-O-572	1xE26	8.75"W x 10.5"H x 10.5" Ext.



Reference #	Watts	Dimensions
WS-O-573	1xE26	8.75"W x 12"H x 10.5" Ext.



Reference #	Watts	Dimensions
WS-O-574	2xE26	6"W x 14.28"H x 3.25" Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-575-S	17W	8.384"W x 5.48"H x 3.523" Ext.
WS-O-575-L	25W	8.384"W x 5.48"H x 3.523" Ext.



Reference #	Watts	Dimensions
WS-O-576	9W	5.5"W x 8.5"H x 2.38" Ext.



Reference #	Watts	Dimensions
WS-O-577	16W	6.25"W x 10"H x 4" Ext.



Reference #	Watts	Dimensions
WS-O-578	16W	9.38"W x 18"H x 3.88" Ext.



Reference #	Watts	Dimensions
WS-O-579	2xE26	5.5"W x 11"H x 4" Ext.



Reference #	Watts	Dimensions
WS-O-580	2xE26	4.5"W x 10"H x 2.5" Ext.



Reference #	Watts	Dimensions
WS-O-581	2xE26	5.5"W x 11"H x 4" Ext.



Reference #	Watts	Dimensions
WS-O-582	2xE26	5.5"W x 11"H x 4" Ext.



Reference #	Watts	Dimensions
WS-O-583	2xE26	5.5"W x 11"H x 4" Ext.



Reference #	Watts	Dimensions
WS-O-584-S	2xE26	4.75"W x 15.75"H x 4.5" Ext.
WS-O-584-L	2xE26	4.75"W x 23"H x 4.5" Ext.



Reference #	Watts	Dimensions
WS-O-585-S	1xE26	4.75"W x 9.625"H x 3.125" Ext.
WS-O-585-L	10W ILED	4.75"W x 16"H x 3.125" Ext.



Reference #	Watts	Dimensions
WS-O-586	17W	8.625"W x 17.15"H x 4" Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-587	15W	7"W x 10"H x 3"Ext.



Reference #	Watts	Dimensions
WS-O-588	1xE26	8"W x 18.75"H x 4"Ext.
WS-O-588-15	15W	8"W x 18.75"H x 4" Ext.



Reference #	Watts	Dimensions
WS-O-589	12W	4.5"W x 14"H x 3.75"Ext.



Reference #	Watts	Dimensions
WS-O-590-15	15W	8.5"W x 22"H x 4"Ext.
WS-O-590-30	30W	8.5"W x 22"H x 4"Ext.



Reference #	Watts	Dimensions
WS-O-591-12	12W	8.25"W x 13.25"H x 3.75"Ext.
WS-O-591-18	18W	8.25"W x 21.75"H x 3.75"Ext.
WS-O-591-24	24W	8.25"W x 30"H x 3.75"Ext.



Reference #	Watts	Dimensions
WS-O-592	1xE26	8.25"W x 7.5"H x 5"Ext.



Reference #	Watts	Dimensions
WS-O-593	9W	7.5"W x 13.5"H x 4.75"Ext.



Reference #	Watts	Dimensions
WS-O-594	13W	5.25"W x 12"H x 1.758"Ext.



Reference #	Watts	Dimensions
WS-O-595	1xE26	4.5"W x 18.5"H x 4"Ext.



Reference #	Watts	Dimensions
WS-O-596	1xE26	8"W x 24.625"H x 6.875"Ext.



Reference #	Watts	Dimensions
WS-O-597	20W	8"W x 24"H x 10.375"Ext.



Reference #	Watts	Dimensions
WS-O-597	15W	7"W x 11.3"H x 3.35" Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-598	1xG9	9"W x 18.5"H x 7.5"Ext.



Reference #	Watts	Dimensions
WS-O-598	15W	4.75"W x 3.625"H x 3.75"Ext.



Reference #	Watts	Dimensions
WS-O-599	10W	4.5"W x 14.5"H x 4.75" Ext.



Reference #	Watts	Dimensions
WS-O-5100	15W	4.75"W x 15.5"H x 4"Ext.



Reference #	Watts	Dimensions
WS-O-5101-15	15W	4.75"W x 26"H x 3.75" Ext.
WS-O-5101-6	6W	4.75"W x 14"H x 3.75" Ext.



Reference #	Watts	Dimensions
WS-O-5102	27W	8.25"W x 26"H x 11"Ext.



Reference #	Watts	Dimensions
WS-O-5103	1xE26	6"W x 15.5"H x 6.75"Ext.



Reference #	Watts	Dimensions
WS-O-5104	1xE26	6"W x 17"H x 7.5"Ext.



Reference #	Watts	Dimensions
WS-O-5105	1xE26	6"W x 15.5"H x 6.25"Ext.



Reference #	Watts	Dimensions
WS-O-5106	1xE26	7"W x 14"H 4"Ext.



Reference #	Watts	Dimensions
WS-O-5107	1xE26	5.25"W x 12.5"H x 7"Ext.



Reference #	Watts	Dimensions
WS-O-5108	30W	6"W x 14.5"H x 3.15" Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-5109	1xE26	7"W x 17.75"H x 7.75"Ext.



Reference #	Watts	Dimensions
WS-O-5110	1xE26	5"W x 13.5"H x 7.25"Ext.



Reference #	Watts	Dimensions
WS-O-5111	1xE26	5.5"W x 17.25"H x 8"Ext.



Reference #	Watts	Dimensions
WS-O-5112	8W	7.75"W x 10.375"H x 4.375"Ext.



Reference #	Watts	Dimensions
WS-O-5113	1xE26	4.75"W x 13.625"H x 6" Ext.



Reference #	Watts	Dimensions
WS-O-5114-S	1xE26	8.5"W x 16"H x 9.5"Ext.
WS-O-5114-L	1xE26	11.5"W x 23"H x 10.5"Ext.



Reference #	Watts	Dimensions
WS-O-5115	1xE26	5.5"W x 11.5"H x 6.63"Ext.



Reference #	Watts	Dimensions
WS-O-5116	1xE26	5"W x 12.5"H x 8" Ext.



Reference #	Watts	Dimensions
WS-O-5117-S	1xE26	4.75"W x 11"H x 8"Ext.
WS-O-5117-M	1xE26	5.5"W x 17"H x 8.5"Ext.
WS-O-5117-L	1xE26	5.5" x 21"H x 8.5"Ext.



Reference #	Watts	Dimensions
WS-O-5118	1xE26	7"W x 11.5"H x 6"Ext.



Reference #	Watts	Dimensions
WS-O-5119-S	1xE26	6.5"W x 12"H x 7"Ext.
WS-O-5119-L	1xE26	5.5"W x 10"H x 6" Ext.



Reference #	Watts	Dimensions
WS-O-5120	1xE26	7"W x 9.375"H x 5.5"Ext.

Quick Reference

Outdoor Lighting



Reference #	Watts	Dimensions
WS-O-5121	3xE12	11.6"W x 17.15"H x 6.75" Ext.



Reference #	Watts	Dimensions
WS-O-5122	1xE26	9"W x 11"H x 10"Ext.



Reference #	Watts	Dimensions
WS-O-5123	1xE26	5.75"W x 12"H x 6.5"Ext.



Reference #	Watts	Dimensions
WS-O-5124	1xE26	8.25"W x 13.63"H x 9.38"Ext.



Reference #	Watts	Dimensions
WS-O-5125	1xGU24	6"W x 14"H x 7.5"Ext.



Reference #	Watts	Dimensions
WS-O-5126	3xE12	9"W x 19"H x 11.25"Ext.



Reference #	Watts	Dimensions
WS-O-5127	1xE26	6"W x 18"H x 10.25"Ext.



Reference #	Watts	Dimensions
WS-O-5128	1xE26	6"W x 11.75"H x 7.5"Ext.



Reference #	Watts	Dimensions
WS-O-5129	10W	5.5"W x 24"H x 2.375"Ext.



Reference #	Watts	Dimensions
WS-O-5130	1xGU10	2.25"W x 24"H x 4"Ext.



Reference #	Watts	Dimensions
WS-O-5131	10W	2.25"W x 24"H x 3.5"Ext.

Quick Reference

Utility Lighting



Reference #	Watts	Dimensions
UL-801-1	3W	2.5"W x 0.25"H
UL-801-3	3 x 3W	2.5"W x 0.25"H
UL-801-4	4 x 3W	2.5"W x 0.25"H

Reference #	Watts	Lumens	Dimensions
UL-802-4	4W	180	3.5"W x 1"H x 8"L
UL-802-7.5	7.5W	270	3.5"W x 1"H x 12"L
UL-802-6.5	6.5W	415	3.5"W x 1"H x 18"L
UL-802-6.8	6.8W	420	3.5"W x 1"H x 21"L
UL-802-7.8	7.8W	515	3.5"W x 1"H x 24"L
UL-802-10.75	10.75W	770	3.5"W x 1"H x 33"L
UL-802-13.45	13.45W	955	3.5"W x 1"H x 42"L

Reference #	Watts	Lumens	Dimensions
UL-803-20	20W	2,200	6"W x 4.25"H x 25"L
UL-803-42	42W	4,400	6"W x 4.25"H x 49.25"L



Reference #	Watts	Lumens	Dimensions
UL-804	48W	5,500	7"W x 3.13"H x 47.75"L

Reference #	Watts	Lumens	Dimensions
UL-805-15	15W	2,025	4"W x 3.25"H x 24.25"L
UL-805-53	53W	5,000	4"W x 3.25"H x 48"L

Reference #	Watts	Lumens	Dimensions
UL-806-20	20W	2,300	2.36"W x 2.36"H x 23.42"L
UL-806-50	50W	5,750	2.36"W x 2.36"H x 45.88"L
UL-806-60	60W	6,900	2.38"W x 2.38"H x 91.6"L



Reference #	Watts	Dimensions
UL-807	4xT8	11.625"W x 4.5"H x 51.25"L

Reference #	Watts	Lumens	Dimensions
UL-808-25-S	25W	3,250	6.75"W x 3.88"H x 26.88"L
UL-808-40-S	40W	5,200	
UL-808-40-L	40W	5,200	6.75"W x 3.88"H x 50.75"L
UL-808-60-L	60W	7,072	
UL-808-75-L	75W	9,750	

Reference #	Watts	Lumens	Dimensions
UL-809-25	25W	2,500	3.375"H x 2.75"W x 47.5" L
UL-809-40	40W	4,600	3.375"H x 2.75"W x 47.5" L
UL-809-60	60W	6,900	3.375"H x 2.75"W x 70.75" L

Quick Reference

Utility Lighting



Reference #	Watts	Dimensions
UL-810	4xT8	8.125"W x 5.25"H x 48.6"L

Reference #	Watts	Dimensions
UL-811-S	2xT8	4.75"W x 3.25"H x 24.25"L
UL-811-L	2xT8	4.75"W x 3.25"H x 48"L

Reference #	Dimensions
UL-812-S	2 Foot
UL-812-L	4 Foot



Reference #	Watts	Dimensions
UL-813-25	25W	23.82"W x 23.62"L x 3.15"H
UL-813-40	40W	23.82"W x 23.62"L x 3.15"H

Reference #	Watts	Dimensions
UL-814-40	40W	47.64"W x 23.62"L x 2"H
UL-814-50	50W	47.64"W x 23.62"L x 2"H

Reference #	Watts	Lumens	Dimensions
UL-815	200W	25,000	3.375"H x 2.75"W x 47.5" L

Quick Reference

Architectural Lighting



Reference #	Watts	Dimensions	Mount
ARCH-201-15W	15W	14.2" x 14.2" x 3.5"	Pendant or Surface Mount
ARCH-201-25W	25W	17.7" x 17.7" x 3.5"	
ARCH-201-36W	36W	23.6" x 23.6" x 3.5"	
ARCH-201-50W	50W	31.5" x 31.5" x 3.5"	

Reference #	Watts	Dimensions
ARCH-202-15W	15W	11.8" x 4"
ARCH-202-20W	20W	15.7" x 4"
ARCH-202-25W	25W	18.9" x 4"
ARCH-202-40W	40W	23.6" x 4"
ARCH-202-90W	90W	35.4" x 4"
ARCH-202-180W	180W	47.2" x 4"

Reference #	Watts	Dimensions
ARCH-203-15W	15W	11.8" x 4"
ARCH-203-20W	20W	15.7" x 4"
ARCH-203-25W	25W	18.9" x 4"
ARCH-203-40W	40W	23.6" x 4"
ARCH-203-90W	90W	35.4" x 4"
ARCH-203-180W	180W	47.2" x 4"



Reference #	Watts	Dimensions
ARCH-204-15W	15W	11.8" x 5.3"
ARCH-204-20W	20W	15.7" x 5.3"
ARCH-204-25W	25W	18.9" x 5.3"
ARCH-204-40W	40W	23.6" x 5.3"
ARCH-204-90W	90W	35.4" x 5.3"
ARCH-204-150W	150W	47.2" x 5.3"

Reference #	Watts	Dimensions
ARCH-205-50W	50W	18.9" x 5.3"
ARCH-205-80W	80W	23.6" x 5.3"
ARCH-205-120W	120W	35.4" x 5.3"
ARCH-205-150W	150W	47.2" x 5.3"

Reference #	Watts	Dimensions
ARCH-206-50W	50W	18.9" x 4"
ARCH-206-80W	80W	23.6" x 4"
ARCH-206-120W	120W	35.4" x 4"
ARCH-206-150W	150W	47.2" x 4"



Reference #	Watts	Dimensions
ARCH-207-50W	50W	18.9" x 4"
ARCH-207-80W	80W	23.6" x 4"
ARCH-207-120W	120W	35.4" x 4"
ARCH-207-150W	150W	47.2" x 4"

Quick Reference

Area Lighting



Reference #	Watts	Lumens	Dimensions
AL-901-45W	45W	5,200	9.2"H x 14.2"W x 7.4" Ext.
AL-901-70W	70W	8,000	
AL-901-90W	90W	10,900	9.75"H x 18"W x 8.75" Ext.
AL-901-135W	135W	15,600	

Reference #	Watts	Lumens	Dimensions
AL-902-27	27W	3,000	7.75"H x 6.5"W x 4.25" Ext.
AL-902-40	40W	4,500	7.75"H x 6.5"W x 4.25" Ext.
AL-902-67	67W	7,500	9.5"H x 11.25"W x 5.75" Ext.
AL-902-80	80W	9,700	9.5"H x 11.25"W x 5.75" Ext.

Reference #	Watts	Lumens	Dimensions
AL-903-45W	45W	4,900	14"W x 5"H x 8.2" Ext.
AL-903-70W	70W	7,350	14"W x 5"H x 8.2" Ext.
AL-903-90W	90W	9,500	14"W x 5"H x 8.2" Ext.
AL-903-135W	135W	14,000	14"W x 5"H x 8.2" Ext.



Reference #	Watts	Lumens	Dimensions
AL-904-35W	35W	3,600	9.5"W x 11"H x 5.5" Ext.
AL-904-45W	45W	5,600	9.5"W x 11"H x 5.5" Ext.
AL-904-65W	65W	7,100	9.5"W x 11"H x 5.5" Ext.

Reference #	Watts	Lumens	Dimensions
AL-905-70W	70W	8,900	11"H x 13"W x 5.5" Ext.
AL-905-90W	90W	11,000	11"H x 13"W x 5.5" Ext.
AL-905-110W	110W	12,500	11"H x 13"W x 5.5" Ext.

Reference #	Watts	Lumens	Dimensions
AL-906-45W	45W	4,950	4.33"H x 8.67"W x 5" Ext.
AL-906-70W	70W	6,800	4.33"H x 8.67"W x 5" Ext.



Reference #	Watts	Lumens	Dimensions
AL-907-100W	100W	11,500	9.25"H x 19"W x 19"L
AL-907-120W	120W	14,000	9.25"H x 19"W x 19"L
AL-907-150W	150W	18,000	9.25"H x 19"W x 19"L
AL-907-200W	200W	23,000	9.25"H x 19"W x 19"L

Reference #	Watts	Lumens	Dimensions
AL-908-40W	40W	4,200	3.3"H x 10.05"W x 10.05"L
AL-908-60W	60W	6,700	3.3"H x 10.05"W x 10.05"L

Reference #	Watts	Description
AL-909-10W	10W	24" Outdoor Wall Washer
AL-909-12W	12W	
AL-909-20W	20W	48" Outdoor Wall Washer
AL-909-25W	25W	

Quick Reference

Landscape Lighting



Reference #	Watts	Dimensions
LL-101	30W	47.125" x 7"



Reference #	Watts	Dimensions
LL-102	30W	47.125" x 7"



Reference #	Description
LL-103-R	Installation Kit for Round Base
LL-103-S	Installation Kit for Square Base



Reference #	Description
LL-104	Round Head
6.3" x 6.6"	



Reference #	Description
LL-105	Round Head
6.3" x 8.27"	



Reference #	Description
LL-106	Round Head
6.3" x 6.6"	



Reference #	Description
LL-107	Round Head
6.3" x 8.27"	



Reference #	Description
LL-108	Round Head
6.3" x 6.6"	



Reference #	Description
LL-109	Round Head
6.3" x 8.27"	



Reference #	Description
LL-110	Square Head
6.3" x 6.6"	



Reference #	Description
LL-111	Round Base
6.3" x 35.39"	



Reference #	Description
LL-112	Square Base
6.3" x 35.39"	

THE TOP HEADS ARE INTERCHANGABLE



Quick Reference

Post Top Lighting



Reference #	Watts	Dimensions
PTL-401-45W	45W	9.252"W x 2.5"H x 21.108"L
PTL-401-70W	70W	9.252"W x 2.5"H x 21.108"L
PTL-401-100W	100W	9.252"W x 2.5"H x 21.108"L
PTL-401-150W	150W	12.25"W x 2.5"H x 23.63"L
PTL-401-300W	300W	12.25"W x 2.5"H x 31.77"L



Reference #	Watts
PTL-402-100MW	Multi-Watt 100W (14,000lm), 120W (16,800lm), 150W (21,000lm)
PTL-402-200MW	Multi-Watt 200W (28,000), 240W (33,600lm), 300W (42,000lm)



Reference #	Watts	Dimensions
PTL-403-35W	35W	25.5"W x 34.25"H
PTL-403-45W	45W	25.5"W x 34.25"H
PTL-403-54W	54W	25.5"W x 34.25"H



Reference #	Watts	Dimensions
PTL-404-35W	35W	25"W x 29"H
PTL-404-45W	45W	25"W x 29"H
PTL-404-54W	54W	25"W x 29"H



Reference #	Watts	Dimensions
PTL-405-35W	35W	25"W x 29"H
PTL-405-45W	45W	25"W x 29"H
PTL-405-54W	54W	25"W x 29"H



Reference #	Watts	Dimensions
PTL-406-35W	35W	25.5"W x 34.25"H
PTL-406-45W	45W	25.5"W x 34.25"H
PTL-406-54W	54W	25.5"W x 34.25"H



Reference #	Watts	Dimensions
PTL-407-35W	35W	18.75"W x 20.5"H
PTL-407-45W	45W	18.75"W x 20.5"H
PTL-407-54W	54W	18.75"W x 20.5"H



Reference #	Watts	Dimensions
PTL-407-60W	60W ILED	14.17"W x 20.47"H
PTL-407-100W	100W ILED	14.17"W x 20.47"H
PTL-407-150W	150W ILED	14.17"W x 20.47"H



Reference #	Watts	Dimensions
PTL-408	30W ILED	7"W x 9"H

Quick Reference

Post Top Lighting



Reference #	Watts	Dimensions
PTL-409	30W ILED	7"W x 7.125"H

Reference #	Watts	Dimensions
PTL-410-24W	24W ILED	22"W x 34"H
PTL-410-35W	35W ILED	22"W x 34"H
PTL-410-45W	45W ILED	22"W x 34"H

Reference #	Watts	Dimensions
PTL-411-24W	24W ILED	18"W x 42"H
PTL-411-35W	35W ILED	18"W x 42"H
PTL-411-45W	45W ILED	18"W x 42"H



Reference #	Watts	Dimensions
PTL-412-35W	35W ILED	16.5"W x 36"H
PTL-412-45W	45W ILED	16.5"W x 36"H

Reference #	Watts	Dimensions
PTL-413-35W	35W ILED	16.5"W x 36"H
PTL-413-45W	45W ILED	16.5"W x 36"H

Reference #	Watts	Dimensions
PTL-414-24W	24W ILED	16.34"W x 35.24"H
PTL-414-35W	35W ILED	16.34"W x 35.24"H
PTL-414-45W	45W ILED	16.34"W x 35.24"H
PTL-414-54W	54W ILED	16.34"W x 35.24"H



Reference #	Dimensions
PTL-415-S	11.02"W x 10"H
PTL-415-L	11.02"W x 12"H

Reference #	Dimensions
PTL-416-S	18"W x 10"H
PTL-416-L	18"W x 12"H

Reference #	Dimensions
PTL-417	9"W x 15"H

Quick Reference

Post Top Lighting



Reference #	Description
PTL-418	Remote of Motion sensor for LED Area Light

Reference #	Description
PTL-419	DM Bracket for LED Area Light

Reference #	Description
PTL-420	AM&DM Bracket for LED Area Light



Reference #	Description
PTL-421	YM Bracket for LED Area Light

Reference #	Description
PTL-422	(100w-150W) FM Bracket for LED Area Light

Reference #	Description
PTL-423	(200w-300W) FM Bracket for LED Area Light

Quick Reference

String Lighting



Reference #	Dimensions
SL-801-48'	48 foot length
SL-801-100'	100 foot length

Reference #	Watts	Socket
SL-802	2W	E26

Reference #	Description
SL-803	End Cap



Reference #	Length
SL-804-60'	60 foot length
SL-804-100'	100 foot length

Reference #	Length
SL-805	500 foot length

Reference #	Description
SL-806	Cable Lock



Reference #	Description
SL-807	Tension Tool

Quick Reference

Track Lighting



Reference #	Watts	Dimensions
TL-4001-1X	1xGU10	6" x 2.25"
TL-4001-3X	3xGU10	
TL-4001-4X	4xGU10	

Reference #	Watts	Dimensions
TL-4002-1X	1xGU10	6" x 2.25" x 3"
TL-4002-3X	3xGU10	
TL-4002-4X	4xGU10	

Reference #	Watts	Dimensions
TL-4003-1X	1xGU10	2.12" x 5.55"
TL-4003-3X	3xGU10	2.12" x 5.55" x 48"
TL-4003-4X	4xGU10	2.12" x 5.55" x 48"



Reference #	Watts	Dimensions
TL-4004	4x10W ILED	2.12" x 5.55" x 48"

Reference #	Watts	Dimensions
TL-4005	3x12W ILED	4.125"W x 6.625" x 48"

Reference #	Watts	Dimensions
TL-4006-1X	1xGU10	48" x 3.75" x 2.25"
TL-4006-3X	3xGU10	
TL-4006-4X	4xGU10	



Reference #	Watts	Dimensions
TL-4007-1X	1x14.5W ILED	3.18" x 6.06" x 5.43"
TL-4007-3X	3x14.5W ILED	
TL-4007-4X	4x14.5W ILED	

Reference #	Watts	Dimensions
TL-4008-1X	1xGU10	3.75" x 3.81" x 3.25"
TL-4008-3X	3xGU10	
TL-4008-4X	4xGU10	

Reference #	Watts	Dimensions
TL-4009-1X	1xE26	7.25" x 4"
TL-4009-3X	3xE26	
TL-4009-4X	4xE26	



Reference #	Watts	Dimensions
TL-4010-3X	3xE26	3.5" x 3.5" x 6"
TL-4010-4X	4xE26	

Reference #	Watts	Dimensions
TL-4011-1X	1xE26	2.69" x 2.69" x 6.63"
TL-4011-3X	3xE26	
TL-4011-4X	4xE26	

Reference #	Watts	Dimensions
TL-4012-1X	1xE26	4.5" x 4.5"
TL-4012-3X	3xE26	4.5" x 4.5" x 48"
TL-4012-4X	4xE26	4.5" x 4.5" x 48"

Quick Reference

Track Lighting



Reference #	Watts	Dimensions
TL-4013	4xE26	29" x 5"



Reference #	Watts	Dimensions
TL-4014-3X	3xE26	6.25" x 35.5" x 7"
TL-4014-4X	4xE26	



Reference #	Watts	Dimensions
TL-4015-3X	3xGU24	29.38" x 8"
TL-4015-4X	4xGU24	40" x 8"



Reference #	Watts	Dimensions
TL-4016	4x6W ILED	4.75" x 5.5" x 30.5"



Reference #	Watts	Dimensions
TL-4017-3X	3xGU10	13.25" x 32.88" x 5.13"
TL-4017-4X	4xGU10	



Reference #	Watts	Dimensions
TL-4018-3X	3xGU10	13.25" x 32.88" x 5.13"
TL-4018-4X	4xGU10	



Reference #	Watts	Dimensions
TL-4019	4x12W ILED	5" x 26.75"

Quick Reference

Exit & Emergency Lighting



Reference #	Description
EML-101-R	2 Sided Exit. Wall or Ceiling.
EML-101-G	2 Sided Exit. Wall or Ceiling.



Reference #	Description
EML-102-R	2 Sided Exit & Emergency. Wall or Ceiling.
EML-102-G	2 Sided Exit & Emergency. Wall or Ceiling.



Reference #	Description
EML-103	Exit & Emergency Light



Reference #	Description
EML-104	Exit & Emergency Light



Reference #	Description
EML-105	Exit & Emergency Light



Reference #	Description
EML-106	Outdoor Exit & Emergency Light















Reference #	Description
EML-107	2 Sided Exit. Ceiling.

Quick Reference

Ceiling Lighting



		
Reference # CL-401	Watts 1xE26	Dimensions 6" x 8"
Reference # CL-402	Watts 1xE26	Dimensions 6" x 8"
Reference # CL-403	Watts 1xE26	Dimensions 6" x 8"
		
Reference # CL-404	Watts 1xE26	Dimensions 6" x 8"
Reference # CL-405	Watts 1xG9	Dimensions 4.75"W x 4.75"H
Reference # CL-406	Watts 1xE26	Dimensions 6.25" x 7"
		
Reference # CL-407	Watts 1xE26	Dimensions 7" x 7"
Reference # CL-408	Watts 1xE26	Dimensions 7" x 9.5"
Reference # CL-409-1B	Watts 1xE26	Dimensions 4.75" x 7.5"
Reference # CL-409-2B	Watts 2xE26	Dimensions 4.75" x 9.5"
		
Reference # CL-410-1B	Watts 1xE26	Dimensions 4.75" x 7.5"
Reference # CL-410-2B	Watts 2xE26	Dimensions 4.75" x 9.5"
Reference # CL-411	Watts 1xE26	Dimensions 4.75" x 7.5"
Reference # CL-412	Watts 1xE26	Dimensions 7.5"W x 4.5"H

Quick Reference

Ceiling Lighting



		
Reference # CL-413-1B	Watts 1xE26	Dimensions 2.25" x 6"
Reference # CL-413-2B	Watts 2xE26	Dimensions 2.25" x 11"
Reference # CL-413-3B	Watts 3xE26	Dimensions 3" x 13"
Reference # CL-413-4B	Watts 4xE26	Dimensions 3" x 15"
		
Reference # CL-416-S	Watts 1xE26	Dimensions 10.25" x 8.5"
Reference # CL-416-L	Watts 1xE26	Dimensions 6.75" x 4.25"
Reference # CL-417	Watts 14W ILED	Dimensions 4.75"W x 5.5"H
Reference # CL-418	Watts 3W	Dimensions 4"W x 4.82"H
		
Reference # CL-419	Watts 1xE26	Dimensions 5"W x 4.5"H
Reference # CL-420	Watts 3xE26	Dimensions 15.25"W x 9.75"H
Reference # CL-421	Watts 17W ILED	Dimensions 9.5"W x 4.5"H
		
Reference # CL-422-1B	Watts 1xE26	Dimensions 5" x 11"
Reference # CL-422-2B	Watts 2xE26	Dimensions 6" x 13"
Reference # CL-422-3B	Watts 3xE26	Dimensions 6.5" x 15"
Reference # CL-423-1B	Watts 1xE26	Dimensions 5.5" x 11"
Reference # CL-423-2B	Watts 2xE26	Dimensions 5.5" x 13"
Reference # CL-423-3B	Watts 3xE26	Dimensions 5.5" x 15"
Reference # CL-424-1B	Watts 1xE26	Dimensions 5.5" x 11"
Reference # CL-424-2B	Watts 2xE26	Dimensions 5.5" x 13"
Reference # CL-424-3B	Watts 3xE26	Dimensions 5.5" x 15"

Quick Reference

Ceiling Lighting



Reference #	Watts	Dimensions
CL-425-1B	1xE26	5.5" x 11"
CL-425-2B	2xE26	5.5" x 13"
CL-425-3B	3xE26	5.5" x 15"

Reference #	Watts	Dimensions
CL-426-1B	1xE26	14"W x 4.63"H

Reference #	Watts	Dimensions
CL-427-1B	1xE26	3.75" x 11"
CL-427-2B	2xE26	4.75" x 13"
CL-427-3B	3xE26	3.75" x 15"



Reference #	Watts	Dimensions
CL-428-1B	1xE26	3.75" x 11"
CL-428-2B	2xE26	4" x 13"
CL-428-3B	3xE26	5" x 15"

Reference #	Watts	Dimensions
CL-429-1B	1xE26	5" x 11"
CL-429-2B	2xE26	5" x 13"
CL-429-3B	3xE26	5" x 15"

Reference #	Watts	Dimensions
CL-430	15W	11"W x 3.25"H



Reference #	Watts	Dimensions
CL-431	3xE26	5.25" x 15"

Reference #	Watts	Dimensions
CL-432-1B	1xE26	4.75" x 9.5"
CL-432-2B	2xE26	5.5" x 14.5"
CL-432-3B	3xE26	5.5" x 19"

Reference #	Watts	Dimensions
CL-433-1B	1xE26	4" x 12"
CL-433-2B	2xE26	6" x 15"
CL-433-3B	3xE26	6" x 20"



Reference #	Watts	Dimensions
CL-434-2B	2xE26	4" x 11.5"
CL-434-3B	3xE26	4.75" x 15.5"
CL-434-4B	4xE26	6.5" x 19.25"

Reference #	Watts	Dimensions
CL-435	18W ILED	11"W x

Reference #	Watts	Dimensions
CL-436-17W	17W ILED	14" x 5.13"
CL-436-3B	3xE26	14" x 5.13"

Quick Reference

Ceiling Lighting



Reference #	Watts	Dimensions
CL-437	3xE26	18"W x 5.25"H

Reference #	Watts	Dimensions
CL-438-21W	21W ILED	4" x 14"
CL-438-25W	25W ILED	4" x 17"

Reference #	Watts	Dimensions
CL-439-21W	21W ILED	4" x 14"
CL-439-25W	25W ILED	4" x 17"



Reference #	Watts	Dimensions
CL-440-21W	21W ILED	4" x 14"
CL-440-25W	25W ILED	4" x 17"

Reference #	Watts	Dimensions
CL-441-21W	21W ILED	4" x 14"
CL-441-25W	25W ILED	4" x 17"

Reference #	Watts	Dimensions
CL-442-21W	21W ILED	4" x 14"
CL-442-25W	25W ILED	4" x 17"



Reference #	Watts	Dimensions
CL-443	2xE26	13"W x 5.5"H

Reference #	Watts	Dimensions
CL-444-1B	1xE26	5" x 10"
CL-444-2B	2xE26	5" x 12"
CL-444-3B	3xE26	5.5" x 15.5"

Reference #	Watts	Dimensions
CL-445	1xE26	9"W x 3.5"H



Reference #	Watts	Dimensions
CL-446	3xE26	20"W x 5.5"H

Reference #	Watts	Dimensions
CL-447	3xE26	16" x 6.25"H

Reference #	Watts	Dimensions
CL-448	30W ILED	14"W x 4.75"H

Quick Reference

Ceiling Lighting



Reference #	Watts	Dimensions
CL-449	3xE26	4.75" x 14"



Reference #	Watts	Dimensions
CL-450	3xE26	4.75" x 14"



Reference #	Watts	Dimensions
CL-451	3xE26	4.75" x 14"



Reference #	Watts	Dimensions
CL-452	3xE26	4.75" x 14"



Reference #	Watts	Dimensions
CL-452-2B	2xE26	3" x 11"
CL-452-3B	3xE26	3" x 14"
CL-452-4B	4xE26	4.5" x 19"



Reference #	Watts	Dimensions
CL-453-S	2xE26	6" x 11"
CL-453-L	2xE26	6" x 14"



Reference #	Watts	Dimensions
CL-454	2xE26	13.75"W x 4.625"H



Reference #	Watts	Dimensions
CL-455	17W ILED	10"W x 3.44"H



Reference #	Watts	Dimensions
CL-456	2xGU24	11"W x 5"H



Reference #	Watts	Dimensions
CL-457-2B	2xE26	6" x 14.75"
CL-457-3B	3xE26	6" x 20.5"



Reference #	Watts	Dimensions
CL-458-2B	2xE26	3.75" x 11"
CL-458-3B	3xE26	3.75" x 14"



Reference #	Watts	Dimensions
CL-459-1B	1xE26	4.75" x 12.25"
CL-459-2B	2xE26	5.25" x 15.25"
CL-459-3B	3xE26	7" x 18"

Quick Reference

Ceiling Lighting



Reference #	Watts	Dimensions
CL-460	3xE26	16"W x 4.8"H



Reference #	Watts	Dimensions
CL-461	24W ILED	11.5"W x 3.5"H



Reference #	Watts	Dimensions
CL-462	22W ILED	17"W x 4.125"H



Reference #	Watts	Dimensions
CL-465-1B	1xE26	3.75" x 13"
CL-465-2B	2xE26	3.75" x 17"
CL-465-3B	3xE26	3.75" x 20"



Reference #	Watts	Dimensions
CL-463-1B	1xE26	4.75" x 10"
CL-463-2B	2xE26	4.75" x 14.75"
CL-463-3B	3xE26	4.75" x 16.25"
CL-463-4B	4xE26	4.75" x 24"
CL-463-5B	5xE26	4.75" x 24"



Reference #	Watts	Dimensions
CL-464	2xE26	4.75" x 32.63"



Reference #	Watts	Dimensions
CL-466	24W ILED	14"W x 3.38"H



Reference #	Watts	Dimensions
CL-467	25W ILED	13"W x 1"H



Reference #	Watts	Dimensions
CL-470	1xE26	14"W x 6.75"H



Reference #	Watts	Dimensions
CL-468	30W ILED	18"W x 5"H



Reference #	Watts	Dimensions
CL-469	2xE26	15"W x 4"H



Reference #	Watts	Dimensions
CL-471	18W ILED	12"W x 4"H

Quick Reference

Ceiling Lighting



Quick Reference

Ceiling Lighting



Reference #	Watts	Dimensions
CL-472	25W ILED	1"W x 1"H



Reference #	Watts	Dimensions
CL-474	30W ILED	15"W x 1"H



Reference #	Watts	Dimensions
CL-473-22W	22W ILED	13.4"W x 3.3"H
CL-473-33W	33W ILED	17.2"W x 4"H
CL-473-45W	45W ILED	23.3"W x 5"H



Reference #	Watts	Dimensions
CL-485-23W	23W ILED	12"W x 2.75"H
CL-485-36W	36W ILED	19"W x 3.75"H



Reference #	Watts	Dimensions
CL-484-9W	9W ILED	6"W x 2.5"H
CL-484-17W	17W ILED	9"W x 2.5"H
CL-484-26W	26W ILED	12"W x 2.5"H
CL-484-27W	27W ILED	15"W x 2.5"H



Reference #	Watts	Dimensions
CL-482	18W ILED	12.7"W x 2.1"H



Reference #	Watts	Dimensions
CL-475-S	3xE26	14.5"W x 4"H
CL-475-L	3xE26	19"W x 5.25"H



Reference #	Watts	Dimensions
CL-476	31W ILED	16.5"W x 2.75"H



Reference #	Watts	Dimensions
CL-486	2xE26	10"W x 6.25"H



Reference #	Watts	Dimensions
CL-487	1xE26	5.5"W x 9.5"H



Reference #	Watts	Dimensions
CL-488	2xE12	10.625"W x 10.25"H



Reference #	Watts	Dimensions
CL-477-1B	1xE26	3.25" x 9.5"
CL-477-2B	2xE26	3.25" x 12"
CL-477-3B	3xE26	3.25" x 15.75"



Reference #	Watts	Dimensions
CL-478-1B	1xE26	3.25" x 10"
CL-478-2B	2xE26	3.25" x 12"
CL-478-3B	3xE26	3.25" x 14"



Reference #	Watts	Dimensions
CL-479-S	31W ILED	3" x 14" x 14"
CL-479-L	31W ILED	3" x 14" x 16"



Reference #	Watts	Dimensions
CL-489	1xE26	11"W x 5"H



Reference #	Watts	Dimensions
CL-490	2xE12	10.75"W x 6"H



Reference #	Watts	Dimensions
CL-491	1xE26	8.25"W x 1.75"H



Reference #	Watts	Dimensions
CL-480	2xE26	3" x 14"



Reference #	Watts	Dimensions
CL-481-S	12W ILED	2.2" x 6"
CL-481-L	12W ILED	2.2" x 9"



Reference #	Watts	Dimensions
CL-483	2xE26	4.5" x 9.75"



Reference #	Watts	Dimensions
CL-492	2xE26	12"W x 6"H



Reference #	Watts	Dimensions
CL-493	2xE26	14"W x 6.25"H



Reference #	Watts	Dimensions
CL-494	3xE26	24"W x 14"H

Quick Reference

Ceiling Lighting



Reference #	Watts	Dimensions
CL-496	2xE26	12"W x 5.25"H

Reference #	Watts	Dimensions
CL-497	2xE26	13" X 5.5"H

Reference #	Watts	Dimensions
CL-498	17W ILED	14"W x 5.75"H



Reference #	Watts	Dimensions
CL-499-1B	1xE26	11"W x 6"H
CL-499-2B	2xE26	13"W x 6"H

Reference #	Watts	Dimensions
CL-4100	3xE26	14"W x 9.5"H

Reference #	Watts	Dimensions
CL-4101	2xE26	17"W x 5"H



Reference #	Watts	Dimensions
CL-4107	3xE26	18"W x 11"H

Reference #	Watts	Dimensions
CL-4103	3xE26	15"W x 10"H

Reference #	Watts	Dimensions
CL-4104	2xE26	15"W x 10.5"H



Reference #	Watts	Dimensions
CL-4105	2xE26	13"W x 10"H

Reference #	Watts	Dimensions
CL-4106	2xE26	13"W x 10"H

Reference #	Watts	Dimensions
CL-4108	4xE12	18"W x 13.375"H

Quick Reference

Ceiling Lighting



Reference #	Watts	Dimensions
CL-4114	2xE26	15"W x 13.75"H

Reference #	Watts	Dimensions
CL-4109	2xE26	13.25"W x 11.38"H

Reference #	Watts	Dimensions
CL-4110	3xE12	13"W x 10"H



Reference #	Watts	Dimensions
CL-4111	3xE26	11"W x 10.75"H

Reference #	Watts	Dimensions
CL-4112	1xE26	12"W x 10.25"H

Reference #	Watts	Dimensions
CL-4113	1xE26	7.5"W x 10"H



Reference #	Watts	Dimensions
CL-4115	80W ILED	23.5"W x 6.75"H x 35.5"L

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-201-3B	3xE26	8" x 18"
PL-201-5B	5xE26	9.5" x 24"
PL-201-6B	6xE26	12" x 30"

Reference #	Watts	Dimensions
PL-202	8xE26	17.5" x 24"

Reference #	Watts	Dimensions
PL-203	14xE26	25.5" x 24"



Reference #	Watts	Dimensions
PL-204-3B	3xE26	14.5" x 18"
PL-204-5B	5xE26	14.5" x 24"
PL-204-6B	6xE26	14.5" x 30"

Reference #	Watts	Dimensions
PL-205	1xE26	18" x 9.3125"

Reference #	Watts	Dimensions
PL-206	3xE26	18.25" x 8.75"



Reference #	Watts	Dimensions
PL-207	3xE26	19.5" x 25.75"

Reference #	Watts	Dimensions
PL-208	3xE26	23.63" x 6.8"

Reference #	Watts	Dimensions
PL-209	3xE26	20" x 11"



Reference #	Watts	Dimensions
PL-210	3xE26	25" x 24"

Reference #	Watts	Dimensions
PL-211	3xE26	25" x 24"

Reference #	Watts	Dimensions
PL-212	2xE26	11.75" x 15"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-213-S	3xE26	15"W x 11.8"H
PL-213-M	3xE26	20"W x 12"H
PL-213-L	4xE26	26"W x 14.5"H

Reference #	Watts	Dimensions
PL-214-S	3xE26	26" x 12"
PL-214-L	3xE26	36" x 16"

Reference #	Watts	Dimensions
PL-215	4xE26	36" x 30"



Reference #	Watts	Dimensions
PL-216	4xE26	13.25" x 20"

Reference #	Watts	Dimensions
PL-217	3xE26	12" x 20"

Reference #	Watts	Dimensions
PL-218	3xE26	7.5" x 13"



Reference #	Watts	Dimensions
PL-219	2xE26	8.5" x 14.5"

Reference #	Watts	Dimensions
PL-220	3xE26	13.5" x 17"

Reference #	Watts	Dimensions
PL-221	2xE26	11" x 12.25"



Reference #	Watts	Dimensions
PL-222	2xE26	20.5" x 23"

Reference #	Watts	Dimensions
PL-223	10xE26	18" x 32" 44"

Reference #	Watts	Dimensions
PL-224	3xE26	13.25" x 16"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-225	3xGU24	21" x 10"

Reference #	Watts	Dimensions
PL-226	4xE26	24" x 15.875"

Reference #	Watts	Dimensions
PL-227	3xE26	16" x 14.5"



Reference #	Watts	Dimensions
PL-228	2x26	8.75" x 61"

Reference #	Watts	Dimensions
PL-229	6xE12	23" x 12"

Reference #	Watts	Dimensions
PL-230	48W ILED	36" x 12"



Reference #	Watts	Dimensions
PL-231	48W ILED	18" x 10"

Reference #	Watts	Dimensions
PL-232	16W ILED	22" x 11.5"

Reference #	Watts	Dimensions
PL-233	5xE26	26" x 15.3"



Reference #	Watts	Dimensions
PL-234	10xE12	30" x 12"

Reference #	Watts	Dimensions
PL-235	2xE26	13" x 13.13"

Reference #	Watts	Dimensions
PL-236	1xE26	21.6" x 4.75"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-237	1xE26	16" x 17"

Reference #	Watts	Dimensions
PL-238	1xE26	11.42" x 8.27"

Reference #	Watts	Dimensions
PL-239	1xE26	7.5" x 11"



Reference #	Watts	Dimensions
PL-240	1xE26	15.5" x 7"

Reference #	Watts	Dimensions
PL-241	1xE26	11" x 16"

Reference #	Watts	Dimensions
PL-242	1xE26	9.5" x 16"



Reference #	Watts	Dimensions
PL-243	1xE26	9.5" x 16"

Reference #	Watts	Dimensions
PL-244-S	1xE26	6.25" x 7.5"
PL-244-M	1xE26	13.375" x 15.25"
PL-244-L	1xE26	15.375" x 19.125"

Reference #	Watts	Dimensions
PL-245-S	1xE26	12.625" x 14"
PL-245-L	1xE26	15" x 16.5"



Reference #	Watts	Dimensions
PL-246	1xE26	13" x 12"

Reference #	Watts	Dimensions
PL-247	1xE26	13" x 14"

Reference #	Watts	Dimensions
PL-248 PL-24	1xE26	15" x 14"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-249-S	1xE26	15.75" x 12.75"
PL-249-L	1xE26	13" x 10.75"



Reference #	Watts	Dimensions
PL-250	1xE26	14" x 10"



Reference #	Watts	Dimensions
PL-251	1xE26	8" x 9.75"



Reference #	Watts	Dimensions
PL-252	1xE26	36" x 7.25"



Reference #	Watts	Dimensions
PL-253	8W ILED	3.35" x 14"



Reference #	Watts	Dimensions
PL-254	1xE26	10" x 9.5"



Reference #	Watts	Dimensions
PL-255	1xE26	10" x 11"



Reference #	Watts	Dimensions
PL-256	1xE26	10" x 13.75"



Reference #	Watts	Dimensions
PL-257	9W ILED	6.13" x 6.25"



Reference #	Watts	Dimensions
PL-258	1xE26	8.75" x 9.25"



Reference #	Watts	Dimensions
PL-259	1xE26	10" x 13.25"



Reference #	Watts	Dimensions
PL-260	1xE26	21" x 29"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-261	1xE26	13" x 12.38"



Reference #	Watts	Dimensions
PL-262	1xE26	10" x 50.25"



Reference #	Watts	Dimensions
PL-263	1xE26	12" x 12"



Reference #	Watts	Dimensions
PL-264	1xE26	14.2" x 14.2"



Reference #	Watts	Dimensions
PL-265	18W ILED	15" x 7.5"



Reference #	Watts	Dimensions
PL-266	1xE26	15.75" x 4.75"



Reference #	Watts	Dimensions
PL-267	1xE26	14.25" x 15.75"



Reference #	Watts	Dimensions
PL-268	1xE26	5" x 8.5"



Reference #	Watts	Dimensions
PL-269	1xE26	18.25" x 12.75"



Reference #	Watts	Dimensions
PL-270	1xE26	10.625" x 5.625"



Reference #	Watts	Dimensions
PL-271	1xE26	6.7" x 7.48"



Reference #	Watts	Dimensions
PL-272-1B-S	1xE26	11" X 7.25"
PL-277-2B	2XE26	13" x 9"
PL-277-3B	3XE26	16.25" X 10"
PL-277-1B-L	1XE26	16" X 13"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-278	1xE26	7" x 11.5"



Reference #	Watts	Dimensions
PL-279	1xE26	11" x 4.75"



Reference #	Watts	Dimensions
PL-280	1xE26	16" x 18"



Reference #	Watts	Dimensions
PL-281	2xE26	17.25" x 15.5"



Reference #	Watts	Dimensions
PL-282	3xE26	20.38" x 26"



Reference #	Watts	Dimensions
PL-283-SF	3xE26	16" x 16" semi-flush
PL-283-P	3xE26	20" x 20" pendant



Reference #	Watts	Dimensions
PL-284-3B	3xE26	25.5" x 16.5"
PL-284-4B	4xE26	28" x 20"



Reference #	Watts	Dimensions
PL-285-S	6xE26	26" x 20"
PL-285-S	6xE26	18.75" x 24"



Reference #	Watts	Dimensions
PL-286	2xE26	23" x 15"



Reference #	Watts	Dimensions
PL-287	2xE26	12.5" x 15"



Reference #	Watts	Dimensions
PL-288	2xE26	13" x 12"



Reference #	Watts	Dimensions
PL-289	2xE26	18" x 19"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-290-S	20W ILED	13" x 10"
PL-290-L	20W ILED	17" x 11"



Reference #	Watts	Dimensions
PL-291	1xE26	9.5" x 9"



Reference #	Watts	Dimensions
PL-292	1xE26	9.5" x 12.5"



Reference #	Watts	Dimensions
PL-293	1xE26	41" x 7.5"



Reference #	Watts	Dimensions
PL-294	1xE26	64" x 6.25"



Reference #	Watts	Dimensions
PL-295	1xE26	5" x 6.25"



Reference #	Watts	Dimensions
PL-296	1xE26	45" x 5"



Reference #	Watts	Dimensions
PL-297	1xE26	36" x 5"



Reference #	Watts	Dimensions
PL-298	1xE26	5" x 6"



Reference #	Watts	Dimensions
PL-299	1xE26	5" x 6.25"



Reference #	Watts	Dimensions
PL-2100	1xE26	47" x 5"



Reference #	Watts	Dimensions
PL-2101	1xE26	9.5" x 5"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2102	1xE26	50.8" x 6.4"

Reference #	Watts	Dimensions
PL-2103	1xE26	4.75" x 15"

Reference #	Watts	Dimensions
PL-2104	1xE26	6.5" x 4.75"



Reference #	Watts	Dimensions
PL-2105	1xE26	6.5" x 13.375"

Reference #	Watts	Dimensions
PL-2106	1xE26	4" x 5.75"

Reference #	Watts	Dimensions
PL-2107	1xE26	4.72" x 53.8"



Reference #	Watts	Dimensions
PL-2108	1xE26	4.75" x 6.25"

Reference #	Watts	Dimensions
PL-2109	1xE26	4.25" x 9"

Reference #	Watts	Dimensions
PL-2110	1xE26	5" x 9.875"



Reference #	Watts	Dimensions
PL-2111	1xE26	6.25" x 5.5"

Reference #	Watts	Dimensions
PL-2112	15W ILED	7.5" x 6.5"

Reference #	Watts	Dimensions
PL-2113	10W ILED	5.88" x 8.88"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2114-S	1xE26	9" x 5"
PL-2114-L	1xE26	12" x 5"

Reference #	Watts	Dimensions
PL-2115	1xE26	5" x 12"

Reference #	Watts	Dimensions
PL-2116	1xE26	6.5" x 5"



Reference #	Watts	Dimensions
PL-2117	1XG9	10" X 4.75"

Reference #	Watts	Dimensions
PL-2118	1xE26	7.5" x 5.5"

Reference #	Watts	Dimensions
PL-2119	1xE26	12" x 5"



Reference #	Watts	Dimensions
PL-2120	1xE26	7" x 5"

Reference #	Watts	Dimensions
PL-2121	1xE26	7" x 6"

Reference #	Watts	Dimensions
PL-2122	1xE26	4.75" x 8"



Reference #	Watts	Dimensions
PL-2123	1xE26	4.5" x 7.5"

Reference #	Watts	Dimensions
PL-2124	1xE26	3.88" x 6.06"

Reference #	Watts	Dimensions
PL-2125	1xE26	3.875" x 5.75"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2126	1xE26	4" x 7.625"



Reference #	Watts	Dimensions
PL-2127	1xE26	4" x 5.75"



Reference #	Watts	Dimensions
PL-2129	1xE26	5.25" x 6"



Reference #	Watts	Dimensions
PL-2130	9W ILED	5.875" x 8.625"



Reference #	Watts	Dimensions
PL-2131	1xGU24	6.25" x 8"



Reference #	Watts	Dimensions
PL-2132	1xE26	12" x 6.25"



Reference #	Watts	Dimensions
PL-2133	1xE26	5.5" x 6.75"



Reference #	Watts	Dimensions
PL-2134	1xE26	6.25" x 7"



Reference #	Watts	Dimensions
PL-2135	8W ILED	4" x 4.25"



Reference #	Watts	Dimensions
PL-2136	1xE26	10.5" x 47.5"



Reference #	Watts	Dimensions
PL-2137	1xG9	4" x 6"



Reference #	Watts	Dimensions
PL-2138	1xG9	2.95" x 3.54"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2139	12W ILED	4.3" x 26.5" x 3.4"



Reference #	Watts	Dimensions
PL-2140	17W ILED	4.5" x 58" x 3.5"



Reference #	Watts	Dimensions
PL-2141	1xE26	5" x 9.5"



Reference #	Watts	Dimensions
PL-2142	6W ILED	5" x 7.6"



Reference #	Watts	Dimensions
PL-2143	1xE26	1.7" x 2.2"



Reference #	Watts	Dimensions
PL-2144	2xE26	12.75" x 14"



Reference #	Watts	Dimensions
PL-2145-2B	2xE26	16" x 15"

PL-2145-3B	3xE26	18" x 24"
------------	-------	-----------

PL-2145-5B	5xE26	22" x 32"
------------	-------	-----------



Reference #	Watts	Dimensions
PL-2146	3xGU24	18.5" x 15"



Reference #	Watts	Dimensions
PL-2147	3xE26	20.5" x 23"



Reference #	Watts	Dimensions
PL-2148	3xE26	19.75" x 11.88"



Reference #	Watts	Dimensions
PL-2149	3xE26	20.75" x 14"



Reference #	Watts	Dimensions
PL-2150	2xE26	38" x 16"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2151	1xE26	9" x 15"



Reference #	Watts	Dimensions
PL-2152	1xE26	9" x 15"



Reference #	Watts	Dimensions
PL-2153	3xE26	60" x 41"



Reference #	Watts	Dimensions
PL-2154-2B	2xE26	11.75" x 15.75"
PL-2154-3B	3xE26	14.24" x 20"




Reference #	Watts	Dimensions
PL-2155	2xE26	18" x 20"




Reference #	Watts	Dimensions
PL-2156	8xE26	37" x 13" x 13.5"



Reference #	Watts	Dimensions
PL-2157	6xE26	56" x 8.5" x 12"



Reference #	Watts	Dimensions
PL-2158	5xE12	32" x 10"



Reference #	Watts	Dimensions
PL-2159	6xE12	12" x 15"



Reference #	Watts	Dimensions
PL-2160	4xE26	36" x 10" x 11.25"



Reference #	Watts	Dimensions
PL-2161	5xE12	41.25" x 10" x 13.75"



Reference #	Watts	Dimensions
PL-2162	5xE12	42" x 9.5" x 12"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2163	7xE26	56.25" x 18.875" x 46.5"



Reference #	Watts	Dimensions
PL-2164	4xE26	40" x 12" x 11.5"



Reference #	Watts	Dimensions
PL-2165	5xE26	40" x 6" x 8.75"



Reference #	Watts	Dimensions
PL-2166	3xE26	35.75" x 10" x 14.5"



Reference #	Watts	Dimensions
PL-2167	3xG9	9.5" x 12" x 7.25"



Reference #	Watts	Dimensions
PL-2168	3xE26	36" x 7.25"



Reference #	Watts	Dimensions
PL-2169	4xE26	38.375" x 6.125" x 43.375"



Reference #	Watts	Dimensions
PL-2170	3xE26	40" x 7" x 80"



Reference #	Watts	Dimensions
PL-2171	3xE26	36" x 5"



Reference #	Watts	Dimensions
PL-2172	3xG9	6" x 24" x 4.25"



Reference #	Watts	Dimensions
PL-2173	3xE26	43.38" x 72"



Reference #	Watts	Dimensions
PL-2174	3xE26	44.5" x 10"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2175	5xE12	28.5" x 22"



Reference #	Watts	Dimensions
PL-2176	5xE26	22.125" x 14.75"



Reference #	Watts	Dimensions
PL-2177	9xE26	32" x 33"



Reference #	Watts	Dimensions
PL-2178	5xE26	20" x 19.875"



Reference #	Watts	Dimensions
PL-2179	5xE26	25.25" x 20.75"



Reference #	Watts	Dimensions
PL-2180	9xE26	36.75" x 33.5"



Reference #	Watts	Dimensions
PL-2181	30xE12	48" x 40"



Reference #	Watts	Dimensions
PL-2182	5xE26	24" x 53.25"



Reference #	Watts	Dimensions
PL-2183	4x12	11.75" x 19"



Reference #	Watts	Dimensions
PL-2184	4xE12	26" x 28.25"



Reference #	Watts	Dimensions
PL-2185	10xE12	33.25" x 34.5"



Reference #	Watts	Dimensions
PL-2186	6xE26	28" x 31.875"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2187	18xE12	44" x 46"



Reference #	Watts	Dimensions
PL-2188	1xE26	10" x 3.75"



Reference #z	Watts	Dimensions
PL-2189	5xE12	36" x 7.25"



Reference #	Watts	Dimensions
PL-2190	6xE12	41.5" x 36"



Reference #	Watts	Dimensions
PL-2191	6xE12	37.25" x 28.5"



Reference #	Watts	Dimensions
PL-2192	3xE12	18" X 21.625"



Reference #	Watts	Dimensions
PL-2193	4xE12	36.5" x 24"



Reference #	Watts	Dimensions
PL-2194	1xE26	8" x 12"



Reference #	Watts	Dimensions
PL-2195-3B	3xE26	20" x 17"

PL-2195-4B	4xE26	20" x 17"
------------	-------	-----------



Reference #	Watts	Dimensions
PL-2196	6xE26	23" x 7"



Reference #	Watts	Dimensions
PL-2197	1xE26	9.75" x 13"



Reference #	Watts	Dimensions
PL-2198	7xG9	27" x 25.25"

Quick Reference

Pendant Lighting



Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2199	80W ILED	43.75" x 6.3"



Reference #	Watts	Dimensions
PL-2200	6xG9	27.75" x 6"



Reference #	Watts	Dimensions
PL-2201	6xE12	28" x 6"



Reference #	Watts	Dimensions
PL-2211	8xE12	29.35" x 13"




Reference #	Watts	Dimensions
PL-2212	3xE26	25" x 7"



Reference #	Watts	Dimensions
PL-2213	6xE26	40" x 9.5"



Reference #	Watts	Dimensions
PL-2202	6xE12	42" x 19" x 6"



Reference #	Watts	Dimensions
PL-2203	5xG9	36" x 6" x 15.75"




Reference #	Watts	Dimensions
PL-2204	20xG9	36" x 13.5"



Reference #	Watts	Dimensions
PL-2214	19xE12	25" x 22.3"



Reference #	Watts	Dimensions
PL-2215	7x15W	17.75" x 120"



Reference #	Watts	Dimensions
PL-2216	13xE26	14.25" x 12.25"



Reference #	Watts	Dimensions
PL-2205	18xE12	58" x 45" x 5"



Reference #	Watts	Dimensions
PL-2206	12xG9	37.5" x 16"



Reference #	Watts	Dimensions
PL-2207	42W ILED	36.1" x 25" x 144"



Reference #	Watts	Dimensions
PL-2217	8xGU10	59" x 39.25"



Reference #	Watts	Dimensions
PL-2218	2xGU10	25" x 15.75"



Reference #	Watts	Dimensions
PL-2219	2xE26	47" x 27" x 21"



Reference #	Watts	Dimensions
PL-2208	18x5W ILED	45.25" x 5.25"



Reference #	Watts	Dimensions
PL-2209	12x5W ILED	31.5" x 5.25"



Reference #	Watts	Dimensions
PL-2210	8xE26	28" x 6"



Reference #	Watts	Dimensions
PL-2220	6xG4	59.7" x 32.4"



Reference #	Watts	Dimensions
PL-2221	5xE26	36" x 30"



Reference #	Watts	Dimensions
PL-2222	39W ILED	48" x 85"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2223	50W ILED	38" x 38.875" x 4.25"



Reference #	Watts	Dimensions
PL-2224	24W ILED	16.5" x 41"



Reference #	Watts	Dimensions
PL-2225-15W	15W ILED	36" x 0.875" x 0.875"
PL-2225-20W	20W ILED	48" x 0.875" x 0.875"



Reference #	Watts	Dimensions
PL-2226	20W ILED	47.5" x 1" x 3.75"



Reference #	Watts	Dimensions
PL-2227	22W ILED	36" x 1.625"



Reference #	Watts	Dimensions
PL-2228	20W ILED	12.25" x 5.5" x 1.625"



Reference #	Watts	Dimensions
PL-2229	200W ILED	96" x 1.3"



Reference #	Watts	Dimensions
PL-2230	111W ILED	48.25" x 183.75"



Reference #	Watts	Dimensions
PL-2231	18xG9	54"



Reference #	Watts	Dimensions
PL-2232	36W ILED	55" x 7.5"



Reference #	Watts	Dimensions
PL-2233-18W	18W ILED	41" x 9.875"
PL-2233-24W	24W ILED	53" x 9.875"
PL-2233-30W-S	30W ILED	65" x 9.875"
PL-2233-30W-L	30W ILED	76.75" x 9.875"



Reference #	Watts	Dimensions
PL-2234	3xGU10	55.1" x 2.16" x 4.3"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2235	1xE26	1.75" x 48"



Reference #	Watts	Dimensions
PL-2236-S	1xE26	10" x 17"
PL-2236-L	1xE26	11.81" x 27.63"



Reference #	Watts	Dimensions
PL-2237	1xE26	7.25" x 15"



Reference #	Watts	Dimensions
PL-2238	1xE26	15.125" x 15"



Reference #	Watts	Dimensions
PL-2239	1xE26	10.5" x 9"



Reference #	Watts	Dimensions
PL-2240	1xE26	11.5" x 9"



Reference #	Watts	Dimensions
PL-2241	1xE26	11" x 15.5"



Reference #	Watts	Dimensions
PL-2242	1xE26	14" x 10"



Reference #	Watts	Dimensions
PL-2243	1xE26	9.75" x 7"



Reference #	Watts	Dimensions
PL-2244-XXL	1xE26	11.26" x 14.1"
PL-2244-S	1xE26	9.5" x 11"
PL-2244-M	1xE26	9.5" x 13"
PL-2244-L	1xE26	9.5" x 14"
PL-2244-XL	1xE26	9.5" x 15"



Reference #	Watts	Dimensions
PL-2245-S	1xE26	5.9" x 7.6"
PL-2245-L	1xE26	14.2" x 16.7"



Reference #	Watts	Dimensions
PL-2246	1xE26	12.75" x 12.75"

Quick Reference

Pendant Lighting



Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2247	1xE26	10.75" x 7.25"

Reference #	Watts	Dimensions
PL-2248	1xE26	22" x 12.4"

Reference #	Watts	Dimensions
PL-2249	1xE26	9" x 12"



Reference #	Watts	Dimensions
PL-2259	1xE26	15" x 13"

Reference #	Watts	Dimensions
PL-2260	1xE26	10" x 11.5"

Reference #	Watts	Dimensions
PL-2261	1xE26	8" x 11"



Reference #	Watts	Dimensions
PL-2250	1xE26	14" x 5"

Reference #	Watts	Dimensions
PL-2251	1xE26	8" x 8"

Reference #	Watts	Dimensions
PL-2252	1xE26	8" x 9"



Reference #	Watts	Dimensions
PL-2262	1xE26	9" x 10"

Reference #	Watts	Dimensions
PL-2263	1xG9	6" x 9.25"

Reference #	Watts	Dimensions
PL-2264	1xE26	10" x 4.75"



Reference #	Watts	Dimensions
PL-2253	1xE26	12" x 5.5"

Reference #	Watts	Dimensions
PL-2254	1xE26	11.875" x 9.875"

Reference #	Watts	Dimensions
PL-2255	1xE26	15" x 19"



Reference #	Watts	Dimensions
PL-2265	1xE26	8" x 84"

Reference #	Watts	Dimensions
PL-2266	1xE26	8" x 84"

Reference #	Watts	Dimensions
PL-2267	1xE26	11.75" x 12.25"



Reference #	Watts	Dimensions
PL-2256	1xE26	9.5" x 11.5"

Reference #	Watts	Dimensions
PL-2257	3xE26	13.5" x 27.5"

Reference #	Watts	Dimensions
PL-2258	1xE26	12" x 13"



Reference #	Watts	Dimensions
PL-2268-S	1xE26	10" x 10"
PL-2268-M	1xE26	12" x 12"
PL-2268-L	1xE26	14" x 14"

Reference #	Watts	Dimensions
PL-2269	1xE26	80" x 30"

Reference #	Watts	Dimensions
PL-2270	1xE26	15" x 16"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2271-S	1xE26	10" x 12.5"
PL-2271-L	1xE26	13" x 16"

Reference #	Watts	Dimensions
PL-2272	1xE26	28" x 13.25"

Reference #	Watts	Dimensions
PL-2273	1xE26	14.4" x 20"



Reference #	Watts	Dimensions
PL-2274-S	1xG9	24"
PL-2274-L	3xG9	48"

Reference #	Watts	Dimensions
PL-2275	1xE26	5" x 6"

Reference #	Watts	Dimensions
PL-2276	1xE26	9.75" x 9.5"



Reference #	Watts	Dimensions
PL-2277	1xE26	13" x 16.875"

Reference #	Watts	Dimensions
PL-2278	1xE26	11.25" x 15.5"

Reference #	Watts	Dimensions
PL-2279	1xE26	10.5" x 15.25"



Reference #	Watts	Dimensions
PL-2280	1xE26	7.625" x 16"

Reference #	Watts	Dimensions
PL-2281	1xE26	6.75" x 8"

Reference #	Watts	Dimensions
PL-2282	1xE26	8" x 8.75"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2283	1xE26	8.5" x 11.63"

Reference #	Watts	Dimensions
PL-2284	1xE26	5.5" x 6.69"

Reference #	Watts	Dimensions
PL-2285	1xE26	8" x 18"



Reference #	Watts	Dimensions
PL-2286	1xE26	5" x 11"

Reference #	Watts	Dimensions
PL-2287	1xE26	7" x 16"

Reference #	Watts	Dimensions
PL-2288	1xE26	5.5" x 20"



Reference #	Watts	Dimensions
PL-2289	1xE26	6.75" x 9.25"

Reference #	Watts	Dimensions
PL-2290	1xE26	5" x 9"

Reference #	Watts	Dimensions
PL-2291-S	1xE26	5.5" x 6.75"
PL-2291-L	1xE26	4.5" x 10.25"



Reference #	Watts	Dimensions
PL-2292	1xE26	6.75" x 9.25"

Reference #	Watts	Dimensions
PL-2293	1xE26	6" x 14.75"

Reference #	Watts	Dimensions
PL-2294	1xE26	3.5" x 13.375"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2295	1xE26	4.75" x 15"



Reference #	Watts	Dimensions
PL-2296	10W ILED	4.375" x 13.5"



Reference #	Watts	Dimensions
PL-2297	1xGU10	3.25" x 12.5"



Reference #	Watts	Dimensions
PL-2298-L	1xE26	7.5" x 14.875"
PL-2298-S	1xE26	3.875" x 7"



Reference #	Watts	Dimensions
PL-2299	1xGU24	3.875" x 10"



Reference #	Watts	Dimensions
PL-2300	1xE26	7.5" x 11"



Reference #	Watts	Dimensions
PL-2301	1xE26	7" x 14"



Reference #	Watts	Dimensions
PL-2302	1xE26	6.5" x 17"



Reference #	Watts	Dimensions
PL-2303	1xE26	3.125" x 12"



Reference #	Watts	Dimensions
PL-2304	1xGU10	4.75" x 11.75"



Reference #	Watts	Dimensions
PL-2305	10W ILED	3.875" x 13"



Reference #	Watts	Dimensions
PL-2306	1xE26	14.5" x 4.75"

Quick Reference

Pendant Lighting



Reference #	Watts	Dimensions
PL-2307	1xGU10	2.125" x 11.75"



Reference #	Watts	Dimensions
PL-2308	11W ILED	2.125" x 11.75"



Reference #	Watts	Dimensions
PL-2309	1xGU10	2.5" x 10"



Reference #	Watts	Dimensions
PL-2310	6W ILED	2.25" x 10.75"



Reference #	Watts	Dimensions
PL-2311	1xE26	2.75" x 13"



Reference #	Watts	Dimensions
PL-23012	1xE26	8" x 8"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-601-35W	35W ILED	24.63" x 2.75" x 3"
VL-601-43W	43W ILED	36.75" x 2.75" x 3"



Reference #	Watts	Dimensions
VL-602	28W ILED	30" x 4.75" x 2.5"



Reference #	Watts	Dimensions
VL-603	30W ILED	36" x 4.375" x 2.75"



Reference #	Watts	Dimensions
VL-604	17W ILED	22.5" x 9.6" x 4.7"



Reference #	Watts	Dimensions
VL-605	28W	37.5" x 4.75" x 4.25"



Reference #	Watts	Dimensions
VL-606	48W	39.75" x 4.75" x 4"



Reference #	Watts	Dimensions
VL-608-18W	18W ILED	24" x 4.5" x 2"
VL-608-20W	20W ILED	24" x 4.5" x 2"



Reference #	Watts	Dimensions
VL-609-25W	25W ILED	4.75" x 26" x 4.25"
VL-609-36W	36W ILED	4.75" x 39" x 4.25"



Reference #	Watts	Dimensions
VL-610-26W	26W ILED	20.5" x 4.75" x 4.25"
VL-610-30W	30W ILED	37.25" x 4.75" x 4"



Reference #	Watts	Dimensions
VL-611-12W	12W ILED	18" x 1.75" x 2.25"
VL-611-16W	16W ILED	24" x 1.75" x 2.25"
VL-611-20W	20W ILED	30" x 1.75" x 2.25"
VL-611-24W	24W ILED	36" x 1.75" x 2.25"
VL-611-32W	32W ILED	48" x 1.75" x 2.25"



Reference #	Watts	Dimensions
VL-612	35W ILED	22.375" x 4.75" x 2.75"



Reference #	Watts	Dimensions
VL-613-26	26W ILED	24" x 4.75" x 3.25"
VL-613-48	48W ILED	48" x 4.75" x 3.25"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-614	32W ILED	22" x 3.5" x 2.88"



Reference #	Watts	Dimensions
VL-615	25W ILED	24" x 4.75" x 3.625"



Reference #	Watts	Dimensions
VL-616	30W ILED	25.25" x 4.75" x 3.13"



Reference #	Watts	Dimensions
VL-617-22W	22W ILED	20" x 5" x 3.75"
VL-617-35W	35W ILED	50" x 5" x 3.75"



Reference #	Watts	Dimensions
VL-618	30W ILED	24.25" x 5.5" x 3.5"



Reference #	Watts	Dimensions
VL-619	6xE12	32" x 7" x 4.75"



Reference #	Watts	Dimensions
VL-620	28W ILED	27" x 5.5" x 3"



Reference #	Watts	Dimensions
VL-621	40W ILED	27" x 5.5" x 3"



Reference #	Watts	Dimensions
VL-622	40W ILED	22" x 4" x 1.25"



Reference #	Watts	Dimensions
VL-623	30W ILED	30" x 4.75" x 0.5"



Reference #	Watts	Dimensions
VL-624	30W ILED	35" x 0.63" x 3.25"



Reference #	Watts	Dimensions
VL-625-28W	28W ILED	66.9" x 1"
VL-625-20W	20W ILED	48" x 1"
VL-625-12W	12W ILED	24" x 1"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-626	2xE26	20" x 4.75" x 4.75"



Reference #	Watts	Dimensions
VL-627	2xE26	20.375" x 4.75" x 4.875"



Reference #	Watts	Dimensions
VL-628	2xE26	17" x 4.75" x 3.7"



Reference #	Watts	Dimensions
VL-629	16W ILED	22.25" x 5.5" x 4"



Reference #	Watts	Dimensions
VL-630	18W ILED	24" x 4.75" x 4"



Reference #	Watts	Dimensions
VL-631	29W ILED	24" x 4.5" x 2.7"



Reference #	Watts	Dimensions
VL-632	2xE26	15.5" x 4.5" x 5"



Reference #	Watts	Dimensions
VL-633	2xE26	15.75" x 5" x 4"



Reference #	Watts	Dimensions
VL-634	16W ILED	13.25" x 9.75" x 3.63"



Reference #	Watts	Dimensions
VL-635	17W ILED	26.375 x 4.75" x 3.25"



Reference #	Watts	Dimensions
VL-636-2B	2xE26	11.5" x 14" x 6"



Reference #	Watts	Dimensions
VL-636-3B	3xE26	11.5" x 23.2" x 6"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-638	4xE26	31.33" x 9.25" x 5.13"



Reference #	Watts	Dimensions
VL-639-2B	2xE26	13" x 6.5" x 6"
VL-639-3B	3xE26	21" x 6.5" x 6"
VL-639-4B	4xE26	32" X 6.5" X 6"



Reference #	Watts	Dimensions
VL-640-3B	3xE26	8.75" x 14.75" x 5.5"
VL-640-4B	4xE26	8.75" x 23" x 5.5"



Reference #	Watts	Dimensions
VL-641-2B	2xE26	13" x 7.875" x 6"
VL-641-3B	3xE26	22" x 7.875" x 6"



Reference #	Watts	Dimensions
VL-642	3xE26	22" x 7.875" x 6"



Reference #	Watts	Dimensions
VL-643-2B	2xE26	14" x 7.75" x 5.2"
VL-643-3B	3xE26	20.9" x 7.75" x 5.2"
VL-643-4B	4xE26	27.8" x 7.75" x 5.2"



Reference #	Watts	Dimensions
VL-644-2B	2xE26	7.5" x 14.5" x 6"
VL-644-3B	3xE26	7.5" x 24.5" x 6"
VL-644-4B	4xE26	7.5" x 134.5" x 6"



Reference #	Watts	Dimensions
VL-645	3xE26	2" x 9.25" x 5.13"



Reference #	Watts	Dimensions
VL-646-2B	2xE26	13" x 9.5" x 6.13"
VL-646-3B	3xE26	22" x 9.5" x 6.13"
VL-646-4B	4xE26	31" x 9.5" x 6.13"



Reference #	Watts	Dimensions
VL-647	3xE26	20" x 8.5" x 5.5"



Reference #	Watts	Dimensions
VL-648-3B	3xE26	22" x 8.5" x 6.5"
VL-648-4B	4xE26	28.125" x 8.5" x 6.5"



Reference #	Watts	Dimensions
VL-649-2B	2xE26	13.25" x 9.75" x 6"
VL-649-3B	3xE26	22" x 9.75" x 6"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-644-3B	3xE26	21" x 7.5" x 4.75"
VL-644-4B	4xE26	27" x 7.5" x 4.75"



Reference #	Watts	Dimensions
VL-645	3xE26	22" x 8.25" x 6.75"



Reference #	Watts	Dimensions
VL-646	3xE26	24" x 9" x 5.5"



Reference #	Watts	Dimensions
VL-647	3xG9	22" x 5.25" x 5.38"



Reference #	Watts	Dimensions
VL-648-3B	3xE26	19.25" x 9" x 6"
VL-648-4B	4xE26	26.25" x 9" x 6"



Reference #	Watts	Dimensions
VL-649-2B	2xE26	15" x 10" x 6"
VL-649-3B	3xE26	21" x 10" x 6"
VL-649-4B	4xE26	28" x 10" x 6"



Reference #	Watts	Dimensions
VL-650	3xE26	23.25" x 9.75" x 6.25"



Reference #	Watts	Dimensions
VL-651	3xE26	24.75" x 7.5" x 8"



Reference #	Watts	Dimensions
VL-652	3xE26	21.5" x 9.25" x 6.5"



Reference #	Watts	Dimensions
VL-653-3B	3xE26	23.2" x 11.5" x 6"
VL-653-4B	4xE26	30" x 11.5" x 6"



Reference #	Watts	Dimensions
VL-654-3B	3xE26	24" x 9.25" x 5.25"
VL-654-4B	4xE26	34" x 9.25" x 5.25"



Reference #	Watts	Dimensions
VL-655	3xE26	22.5" x 9.6" x 4.7"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-656-2B	2xE26	8.5" x 13.5" x 7.25"
VL-656-3B	3xE26	8.5" x 21.75" x 7.25"
VL-656-4B	4xE26	8.5" x 30" x 7.25"



Reference #	Watts	Dimensions
VL-657-3B	3xE26	8" x 18" x 8"
VL-657-4B	4xE26	8" x 24" x 8"
VL-657-5B	5xE26	8" x 30" x 8"



Reference #	Watts	Dimensions
VL-658	3xE26	7" x 24" x 7"



Reference #	Watts	Dimensions
VL-659-2B	2xE26	6.75" x 14" x 6.25"
VL-659-3B	3xE26	6.75" x 24" x 6.25"
VL-659-4B	4xE26	6.75" x 30" x 6.25"



Reference #	Watts	Dimensions
VL-660-2B	2xE26	7.75" x 19.5" x 8"
VL-660-3B	3xE26	7.75" x 24" x 8"
VL-660-4B	4xE26	7.75" x 32" x 8"



Reference #	Watts	Dimensions
VL-661	3xE26	22" x 7.875" x 6"



Reference #	Watts	Dimensions
VL-662	3xE26	21" x 8.5" x 7.5"



Reference #	Watts	Dimensions
VL-663-2B	2xE26	7.5" x 14.25" x 6.125"
VL-663-3B	3xE26	7.5" x 24.5" x 6.125"
VL-663-4B	4xE26	7.5" x 35.5" x 6.125"



Reference #	Watts	Dimensions
VL-664-2B	2xE26	8.75" x 14.75" x 5.5"
VL-664-3B	3xE26	8.75" x 23" x 5.5"
VL-664-4B	4xE26	8.75" x 31.25" x 5.5"



Reference #	Watts	Dimensions
VL-665	3xE26	9" x 24" x 7.5"



Reference #	Watts	Dimensions
VL-666-1B	1xE26	8.5" x 7" x 8.5"
VL-666-2B	2xE26	7.25" x 19" x 8"
VL-666-3B	3xE26	7.25" x 24.25" x 8"
VL-666-4B	4xE26	7.25" x 31" x 8"



Reference #	Watts	Dimensions
VL-667-2B	2xE26	8.5" x 16.5" x 7.25"
VL-667-3B	3xE26	8.5" x 24.5" x 7.25"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-668	4xE26	10" x 30.5" x 7"



Reference #	Watts	Dimensions
VL-669	4xE26	12" x 28.75" x 7"



Reference #	Watts	Dimensions
VL-670	4xE26	30.25" x 10.5" x 6.61"



Reference #	Watts	Dimensions
VL-671-2B	2xE26	14.1" x 9.1" x 7.2"
VL-671-3B	3xE26	20.6" x 9.1" x 7.2"



Reference #	Watts	Dimensions
VL-672	3xE26	15.5" x 4.5" x 5"



Reference #	Watts	Dimensions
VL-673	3xE26	21.375" x 9" x 7"



Reference #	Watts	Dimensions
VL-674-3B	3xE26	10.25" x 17.5" x 6.25"
VL-674-4B	4xE26	10.25" x 24" x 6.25"



Reference #	Watts	Dimensions
VL-675	3xE26	9" x 19.25" x 6"



Reference #	Watts	Dimensions
VL-676-2B	2xE26	17" x 9" x 6.5"
VL-676-3B	3xE26	22.5" x 9" x 6.5"
VL-676-4B	4xE26	31" x 9" x 6.5"



Reference #	Watts	Dimensions
VL-677-2B	2xE26	8.625" x 14" x 5.625"
VL-677-3B-S	3xE26	8.625" x 14" x 5.625"
VL-677-4B	4xE26	8.625" x 14" x 5.625"
VL-677-3B-L	3xE26	8.75" x 22.5" x 5.5"



Reference #	Watts	Dimensions
VL-678	3xE26	18.5" x 5.25" x 9.5"



Reference #	Watts	Dimensions
VL-679	3xE26	17.5" x 6.25" x 5"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-680	4xE26	24" x 8.75" x 4.5"



Reference #	Watts	Dimensions
VL-681-3B	3xE26	24.5" x 8" x 6.5"
VL-681-4B	4xE26	32" x 8" x 6.5"




Reference #	Watts	Dimensions
VL-682-3B	3xE26	20.125" x 7.5" x 7"
VL-682-4B	4xE26	28.5" x 7.5" x 7"



Reference #	Watts	Dimensions
VL-683-3B	3xG9	21.25" x 5" x 5.25"
VL-683-4B	4xG9	30" x 5" x 5.25"



Reference #	Watts	Dimensions
VL-684	3xG9	24" x 4.5" x 4.88"



Reference #	Watts	Dimensions
VL-685	2xE26	15" x 10.5" x 7"




Reference #	Watts	Dimensions
VL-686	2xE26	13.5" x 7.75" x 6"



Reference #	Watts	Dimensions
VL-687-3B	3xE26	24" x 7.25" x 7"
VL-687-4B	4xE26	30" x 7.25" x 7"



Reference #	Watts	Dimensions
VL-688-3B	3xE26	21" x 7.5" x 7"
VL-688-4B	4xE26	28" x 7.5" x 7"



Reference #	Watts	Dimensions
VL-689	3xE26	24" x 9.125" x 5.375"



Reference #	Watts	Dimensions
VL-690-3B	3xE26	7" x 30.5" x 4"
VL-690-4B	4xE26	7" x 40.5" x 4"



Reference #	Watts	Dimensions
VL-691	48W ILED	30" x 6" x 3.5"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-692	3xG9	15" x 5" x 5"



Reference #	Watts	Dimensions
VL-693-3B	3xE26	4.5" x 18" x 2.25"
VL-693-4B	4xE26	4.5" x 24" x 2.25"
VL-693-6B	6xE26	4.5" x 36" x 2.25"



Reference #	Watts	Dimensions
VL-694-3B	3xE26	7" x 30.5" x 4"
VL-694-4B	4xE26	7" x 40.5" x 4"



Reference #	Watts	Dimensions
VL-695-1B	1xE26	6.75" x 13.75" x 3.25"
VL-695-2B-1	2xE26	6.75" x 25.25" x 3.25"
VL-695-2B-2	2xE26	6.75" x 13.75" x 4.75"



Reference #	Watts	Dimensions
VL-996	8xE26	36" x 6.5" x 4.5"



Reference #	Watts	Dimensions
VL-697-S	2xT5	6.5" x 23" x 3.25"
VL-697-M	2xT5	6.5" x 38" x 3.25"
VL-697-L	2xT5	6.5" x 48" x 3.25"



Reference #	Watts	Dimensions
VL-698-S	20W	5" x 28" x 4.25"
VL-698-L	20W	5" x 36" x 4.25"



Reference #	Watts	Dimensions
VL-699-2B	2xE26	21" x 11.25" x 7.5"
VL-699-3B	3xE26	26" x 11.25" x 7.5"



Reference #	Watts	Dimensions
VL-6100-2B	2xE26	13.5" x 9.125" x 5.375"
VL-6100-3B	3xE26	23.125" x 9.125" x 5.375"



Reference #	Watts	Dimensions
VL-6101-25W-S	25W ILED	11.25" x 24.25" x 4.5"
VL-6101-51W	51W ILED	11.25" x 48.25" x 4.5"
VL-6101-25-L	25W ILED	16" x 24.75" x 4.5"



Reference #	Watts	Dimensions
VL-6102	4xGU10	30" x 4.5" x 8.75"



Reference #	Watts	Dimensions
VL-6103	4xE26	32.5" x 10.5" x 5.5"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-6104	3xE26	10" x 24" x 7"



Reference #	Watts	Dimensions
VL-6105-3B	3xE26	10" x 24" x 7.25"
VL-6105-4B	4xE26	10" x 34.25" x 7.25"



Reference #	Watts	Dimensions
VL-6106-3B	3xE26	21" x 12" x 7"
VL-6106-4B	4xE26	28.75" x 12" x 7"



Reference #	Watts	Dimensions
VL-6107	3xE26	25.25" x 10.625" x 6.25"



Reference #	Watts	Dimensions
VL-6108	3xE26	11" x 26" x 9"



Reference #	Watts	Dimensions
VL-6109-3B	3xE26	9" x 22" x 7"
VL-6109-4B	4xE26	9" x 31.25" x 7"



Reference #	Watts	Dimensions
VL-6110	3xE26	24" x 12.25" x 8"



Reference #	Watts	Dimensions
VL-6111-3B	3xE26	24" x 10" x 7"
VL-6111-5B	5xE26	40" x 10" x 7"



Reference #	Watts	Dimensions
VL-6112	3xE26	22.75" x 10.75" x 6.5"



Reference #	Watts	Dimensions
VL-6113-2B	2xE26	16" x 10.25" x 7.25"
VL-6113-3B	3xE26	24" x 10.25" x 7.25"



Reference #	Watts	Dimensions
VL-6114	3xE26	24" x 10.25" x 7.25"



Reference #	Watts	Dimensions
VL-6115	3xE26	24" x 8.75" x 6.5"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-6116-3B	3xE26	21" x 9" x 6"
VL-6116-4B	4xE26	28.5" x 9" x 6"



Reference #	Watts	Dimensions
VL-6117	3xE26	23.75" x 10.25" x 6.5"



Reference #	Watts	Dimensions
VL-6118	3xE26	26.25" x 8.75" x 7.25"



Reference #	Watts	Dimensions
VL-6119-3B	3xE26	26" x 6.75" x 7.5"
VL-6119-4B	4xE26	36" x 6.75" x 7.5"



Reference #	Watts	Dimensions
VL-6120	3xE26	22.25" x 8.5" x 6.25"



Reference #	Watts	Dimensions
VL-6121	3xE26	25" x 9.25" x 6.5"



Reference #	Watts	Dimensions
VL-6122	4xE26	30" x 10.75" x 6.75"



Reference #	Watts	Dimensions
VL-6123-3B	3xE26	16" x 7.75" x 6.25"
VL-6123-4B	4xE26	22.5" x 7.75" x 6.25"



Reference #	Watts	Dimensions
VL-6124	3xE26	22.25" x 10" x 6.5"



Reference #	Watts	Dimensions
VL-6125-2B	2xE26	15" x 8.75" x 6.75"
VL-6125-3B	3xE26	23" x 8.75" x 6.75"
VL-6125-4B	4xE26	31" x 8.75" x 6.75"



Reference #	Watts	Dimensions
VL-6126	3xE26	26" x 4.75" x 3.63"



Reference #	Watts	Dimensions
VL-6127	3xE26	23.125" x 8.375" x 7.25"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-6128-3B	3xE26	21" x 6" x 6.3"
VL-6128-4B	3xE26	29" x 6" x 6.3"



Reference #	Watts	Dimensions
VL-6129	3xE26	21.5" x 9" x 5.5"



Reference #	Watts	Dimensions
VL-6130-2B	2xE26	12.25" x 12.5" x 7.5"
VL-6130-3B	3xE26	19.25" x 12.5" x 7.5"



Reference #	Watts	Dimensions
VL-6131	3xE26	24.5" x 7.5" x 5.25"



Reference #	Watts	Dimensions
VL-6132-2B	2xE26	16" x 9.5" x 8"
VL-6132-3B	3xE26	24" x 9.5" x 8"
VL-6132-4B	4xE26	32.5" x 9.5" x 8"



Reference #	Watts	Dimensions
VL-6133	4xE26	35.375" x 7.25" x 7.5"



Reference #	Watts	Dimensions
VL-6134	3xE26	24.25" x 8.38" x 7.13"



Reference #	Watts	Dimensions
VL-6135-2B	2xE26	18" x 13.875" x 9.25"
VL-6135-3B	3xE26	26.375" x 13.875" x 9.25"
VL-6135-4B	4xE26	36.5" x 13.875" x 9.25"



Reference #	Watts	Dimensions
VL-6136	3xE26	22" x 6.5" x 8.5"



Reference #	Watts	Dimensions
VL-6137	3xE26	29.5" x 11.5" x 9.3"



Reference #	Watts	Dimensions
VL-6138	3xE26	24.5" x 10.88" x 7"



Reference #	Watts	Dimensions
VL-6139	3xE26	24" x 9.625" x 6.75"

Quick Reference

Vanity Lighting



Reference #	Watts	Dimensions
VL-6140	2xE26	16.52" x 7.75" x 6"



Reference #	Watts	Dimensions
VL-6141	3xE26	24" x 8.5" x 7.75"



Reference #	Watts	Dimensions
VL-6142-2B	2xE26	14" x 6" x 7.75"
VL-6142-3B	3xE26	21.75" x 6" x 7.75"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-301	1xE26	15" x 10" x 4"



Reference #	Watts	Dimensions
WS-302	1xE26	14" x 8.25" x 4"



Reference #	Watts	Dimensions
WS-303	12W ILED	6" x 11.25" x 2.25"



Reference #	Watts	Dimensions
WS-304	2xE26	10.5" x 8.75" x 4"



Reference #	Watts	Dimensions
WS-305	2xE26	10" x 11" x 4"



Reference #	Watts	Dimensions
WS-306	2xE26	10" x 11" x 4"



Reference #	Watts	Dimensions
WS-307	2xE26	10.75" x 11.5" x 3.5"



Reference #	Watts	Dimensions
WS-308	10W	10.25" x 9.375" x 4"



Reference #	Watts	Dimensions
WS-309	10W	10.25" x 9.375" x 4"



Reference #	Watts	Dimensions
WS-310	10W	10.25" x 9.375" x 4"



Reference #	Watts	Dimensions
WS-311	10W	10.25" x 9.375" x 4"



Reference #	Watts	Dimensions
WS-312	10W	12.25" x 6" x 8"

Quick Reference

Wall Sconce Lighting



Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-313	2xE26	18" x 10" x 5.25"



Reference #	Watts	Dimensions
WS-314	2xE26	18" x 10" x 5.25"



Reference #	Watts	Dimensions
WS-315	10W	4.53" x 11.4" x 2.8"



Reference #	Watts	Dimensions
WS-325	2xE26	10.75" x 11.5" x 3.5"



Reference #	Watts	Dimensions
WS-326	10W	11" x 5.5" x 5.5"



Reference #	Watts	Dimensions
WS-327	2xE26	10.5" x 9.5" x 4"



Reference #	Watts	Dimensions
WS-316-S	2xE26	10" x 14" x 6.25"
WS-316-M	2xE26	10" x 18" x 6.25"
WS-316-L	2xE26	10" x 24" x 6.25"



Reference #	Watts	Dimensions
WS-317-S	2xE26	10" x 18" x 6.25"
WS-317-L	2xE26	10" x 24" x 6.25"



Reference #	Watts	Dimensions
WS-318-S	2xE26	10" x 14" x 6.25"
WS-318-M	2xE26	10" x 18" x 6.25"
WS-318-L	2xE26	10" x 24" x 6.25"



Reference #	Watts	Dimensions
WS-328	12W ILED	6.125" x 12" x 4"



Reference #	Watts	Dimensions
WS-329	2xE26	12" x 7.5" x 3.625"



Reference #	Watts	Dimensions
WS-330	10W	7.13" x 16.25" x 4"



Reference #	Watts	Dimensions
WS-319-S	2xE26	10" x 14" x 6.25"
WS-319-M	2xE26	10" x 18" x 6.25"
WS-319-L	2xE26	10" x 24" x 6.25"



Reference #	Watts	Dimensions
WS-320-S	1xE26	5.5" x 6.5" x 4"
WS-320-M	2xE26	11.75" x 13" x 6.75"
WS-320-L	2xE26	8" x 16" x 6"



Reference #	Watts	Dimensions
WS-321-S	2xE26	10" x 14" x 6.25"
WS-321-M	2xE26	10" x 18" x 6.25"
WS-321-L	2xE26	10" x 24" x 6.25"



Reference #	Watts	Dimensions
WS-331	10W	9.875" x 6.5" x 4.875"



Reference #	Watts	Dimensions
WS-332	10W	9.875" x 6.5" x 4.875"



Reference #	Watts	Dimensions
WS-333	10W	9.875" x 6.5" x 4.875"



Reference #	Watts	Dimensions
WS-322	18W	5" x 16" x 3.75"



Reference #	Watts	Dimensions
WS-323-18W	18W ILED	8.25" x 25" x 3.75"
WS-323-30W	30W ILED	8.25" x 25" x 3.75"



Reference #	Watts	Dimensions
WS-324-S	20W ILED	8.375" x 16" x 4"
WS-324-M	20W ILED	8.375" x 25" x 4"
WS-324-L	29W ILED	8.375" x 37" x 4"



Reference #	Watts	Dimensions
WS-334	2xGU10	5.24" x 8.66" x 3.54"



Reference #	Watts	Dimensions
WS-335	16W ILED	7" x 5.625" x 2.875"



Reference #	Watts	Dimensions
WS-336	13W ILED	4.375" x 17" x 2.75"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-337	10W	13" x 5.5" x 2.25"



Reference #	Watts	Dimensions
WS-338	10W	11.5" x 4.5" x 4"



Reference #	Watts	Dimensions
WS-339	10W	11.375" x 14" x 3.125"



Reference #	Watts	Dimensions
WS-340	1xE26	12" x 6"



Reference #	Watts	Dimensions
WS-341	2xE26	8.25" x 16" x 4.75"



Reference #	Watts	Dimensions
WS-342	10W ILED	10" X 10" X 2.5"



Reference #	Watts	Dimensions
WS-343	10W	12" x 5" x 4"



Reference #	Watts	Dimensions
WS-344	10W	11.5" x 4.5" x 4"



Reference #	Watts	Dimensions
WS-345	16W ILED	4.25" x 11.75" x 4"



Reference #	Watts	Dimensions
WS-346	16W ILED	4.75" x 11" x 3.5"



Reference #	Watts	Dimensions
WS-347	10W	11.5" x 4.5" x 4"



Reference #	Watts	Dimensions
WS-348	1xE26	4.375" x 9" x 5.5"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-349	1xE26	4.5" X 9.25" X 6.25"



Reference #	Watts	Dimensions
WS-350	10W	15.25" x 4.25" x 4"



Reference #	Watts	Dimensions
WS-351	10W	15.25" x 4.25" x 4"



Reference #	Watts	Dimensions
WS-352-GU24	1xGU24	5" x 18" x 4"



Reference #	Watts	Dimensions
WS-353	1xE26	4.5" x 13.5" x 4"



Reference #	Watts	Dimensions
WS-354	2xG9	4.75" x 13" x 3.75"



Reference #	Watts	Dimensions
WS-355	11W ILED	22" x 5" x 3"



Reference #	Watts	Dimensions
WS-356	1xE12	4.5" x 12" x 5"



Reference #	Watts	Dimensions
WS-357	1xE12	4.375" x 10.5" x 4"



Reference #	Watts	Dimensions
WS-358	6W ILED	2.75" x 14.2" x 5.1"



Reference #	Watts	Dimensions
WS-359	2xE26	4.75" x 24.75" x 3.5"



Reference #	Watts	Dimensions
WS-360	1xE12	4.75" x 15" x 4"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-361	10W	11" x 5.5" x 5.5"



Reference #	Watts	Dimensions
WS-362	10W	16" x 6" x 8.5"



Reference #	Watts	Dimensions
WS-363	3W	9.5" x 4.5" x 4.75"



Reference #	Watts	Dimensions
WS-364	8.3W ILED	5" x 15.3" x 3.5"



Reference #	Watts	Dimensions
WS-365	10W ILED	5.25" x 17" x 4"



Reference #	Watts	Dimensions
WS-366	7W ILED	4.5" x 11.25" x 2.75"



Reference #	Watts	Dimensions
WS-367	12W ILED	3" x 24" x 4"



Reference #	Watts	Dimensions
WS-368	2xE12	5" x 22.5" x 4"



Reference #	Watts	Dimensions
WS-369	1xE26	3.25" x 9.5" x 4.25"



Reference #	Watts	Dimensions
WS-370	1xE26	6.5" x 14" x 4"



Reference #	Watts	Dimensions
WS-371-1B	1xE26	12.5" x 7" x 3.75"



WS-371-2B	2xE26	7.1" x 12.5" x 3.75"
-----------	-------	----------------------



Reference #	Watts	Dimensions
WS-372	1xE26	9.5" x 8" x 3.5"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-373	2xE26	10.25" x 9.375" x 4"



Reference #	Watts	Dimensions
WS-374	2xE26	12" x 12" x 4"



Reference #	Watts	Dimensions
WS-375	15W ILED	15.5" x 9.8" x 4"



Reference #	Watts	Dimensions
WS-376	2xE26	12" x 12" x 4"



Reference #	Watts	Dimensions
WS-377	10W	11" x 7.5" x 4"



Reference #	Watts	Dimensions
WS-378	1xE26	7" x 11" x 4"



Reference #	Watts	Dimensions
WS-379	2xE26	11" x 16" x 7"



Reference #	Watts	Dimensions
WS-380	2xE26	14.25" x 11" x 3.25"



Reference #	Watts	Dimensions
WS-381	10W	14.25" x 5.5" x 3.25"



Reference #	Watts	Dimensions
WS-382	8.4W ILED	5.25" X 15.75" X 3.75"



Reference #	Watts	Dimensions
WS-383	12W ILED	5" x 16" x 3.75"



Reference #	Watts	Dimensions
WS-384	6W ILED	7" x 7" x 3"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-385	24W ILED	6.25" x 16.25" x 4"



Reference #	Watts	Dimensions
WS-386	2x10W ILED	4" x 24" x 2.75"



Reference #	Watts	Dimensions
WS-387	10W ILED	4.5" x 16" x 3.75"



Reference #	Watts	Dimensions
WS-388	2x6W ILED	9" x 24" x 4"



Reference #	Watts	Dimensions
WS-389	30W ILED	6" x 24.25"



Reference #	Watts	Dimensions
WS-390	18.6W ILED	5" x 33" x 2.75"



Reference #	Watts	Dimensions
WS-391	12W ILED	7" x 7" x 4.75"



Reference #	Watts	Dimensions
WS-392	15W	7" x 2.75" x 3"



Reference #	Watts	Dimensions
WS-393-(watts)	16.5W ILED	5.5" x 5.5" x 6.5"
	30.5W ILED	



Reference #	Watts	Dimensions
WS-394-G9	1xG9	3" x 6" x 3"
WS-394-ILED	10W ILED	3" x 6" x 3"



Reference #	Watts	Dimensions
WS-395	9W ILED	4" x 6" x 2"



Reference #	Watts	Dimensions
WS-396	3w ILED	6" x 11" x 2"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-399	1xG9	4.75" x 4.75" x 5"



Reference #	Watts	Dimensions
WS-3100	1xE26	6" x 11" x 7"



Reference #	Watts	Dimensions
WS-3101	1xE12	6" x 12" x 7.5"



Reference #	Watts	Dimensions
WS-3103	1xE26	6" x 11.25" x 7.5"



Reference #	Watts	Dimensions
WS-3104	1xE26	6.375" x 11.75" x 8.25"



Reference #	Watts	Dimensions
WS-3102	1xE26	8" x 9" x 12"




Reference #	Watts	Dimensions
WS-3111	1xE26	6" x 10" x 1"



Reference #	Watts	Dimensions
WS-3108	1xE26	6" x 8.5" x 10.5"



Reference #	Watts	Dimensions
WS-3105	1xE26	6" x 6" x 8.5"



Reference #	Watts	Dimensions
WS-3106	2xE26	8" x 20" x 11"



Reference #	Watts	Dimensions
WS-3107	2xE26	5.5" x 17" x 6"



Reference #	Watts	Dimensions
WS-3109	1xG9	7" x 8.75" x 8.5"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-3115	1XG9	9.8" x 24" x 13.8"



Reference #	Watts	Dimensions
WS-3110	1XE26	7" x 16" x 8"



Reference #	Watts	Dimensions
WS-3112	3x3W ILED	13.5" x 19.5" x 3.75"



Reference #	Watts	Dimensions
WS-3117	1xE26	6" x 24" x 9.5"



Reference #	Watts	Dimensions
WS-3113	1xG9	4.5" x 14" x 4.5"



Reference #	Watts	Dimensions
WS-3114	4W ILED	4.5" x 14" x 4"



Reference #	Watts	Dimensions
WS-3118	1xE26	6.5" x 19.5" x 5"



Reference #	Watts	Dimensions
WS-3116	2xE12	12" x 24" x 4"



Reference #	Watts	Dimensions
WS-3119	26W ILED	4.3" x 20.2" x 3.7"



Reference #	Watts	Dimensions
WS-3139	4xG9	6" x 44" x 4"



Reference #	Watts	Dimensions
WS-3137	10W ILED	4.5" x 22" x 4"



Reference #	Watts	Dimensions
WS-3120	1xE26	8.5" x 11" x 10"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-3121	1xE26	12" x 14" x 16.7"



Reference #	Watts	Dimensions
WS-3122	1xE26	10" x 24" x 4"



Reference #	Watts	Dimensions
WS-3123	2xE26	16" x 45" x 20"



Reference #	Watts	Dimensions
WS-3124	1xGU10	7" x 35" x 4"



Reference #	Watts	Dimensions
WS-3125	4xE12	25" x 5" x 8"



Reference #	Watts	Dimensions
WS-3126	2xE26	24" x 2.25" x 12.25"



Reference #	Watts	Dimensions
WS-3127	1xGU10	3.15" x 5.1"



Reference #	Watts	Dimensions
WS-3128	1xE26	6" x 8.5" x 7.375"



Reference #	Watts	Dimensions
WS-3129	1xE26	5.75" x 7.5" x 17.5"



Reference #	Watts	Dimensions
WS-3130	1xE26	7.5" x 13" x 5.5"



Reference #	Watts	Dimensions
WS-3131	11W ILED	9.75" X 10.25" X 11.75"



Reference #	Watts	Dimensions
WS-3132	1xE26	7" x 12" x 14"

Quick Reference

Wall Sconce Lighting



Reference #	Watts	Dimensions
WS-3133	12W ILED	12" x 5.875" x 18"



Reference #	Watts	Dimensions
WS-3134	1xE26	7" x 11.5" x 6"



Reference #	Watts	Dimensions
WS-3135	1xE26	8" X 12" X 4.5"



Reference #	Watts	Dimensions
WS-3136	1xE12	5.5" x 8" x 4"



Reference #	Watts	Dimensions
WS-3141	2xE26	12.5" x 18" x 4"



Reference #	Watts	Dimensions
WS-3138	24W	4.75" X 18.38" X 2.88"



Reference #	Watts	Dimensions
WS-3142	1xE12	5" x 17" x 6.75"



Reference #	Watts	Dimensions
WS-3140	1xE12	4.75" x 18.75" x 4"

Quick Reference

LED Mirrors



Reference #	Watts	Dimensions
M-101-(watts)-(dimensions)	52W	41" x 47"
	55W	47" x 47"
	42.5W	26" x 47"
	55W	47" x 48"
	42W	23" x 49"
	41W	23" x 48"



Reference #	Watts	Dimensions
M-102-(watts)	36W	18" x 42"
	50W	40" x 42"
	52W	44" x 42"
	53W	46" x 42"
	56W	50" x 42"
	59W	56" x 42"
	62W	60" x 42"
	67W	68" x 42"
	74W	80" x 42"
	81W	90" x 42"



Reference #	Watts	Dimensions
M-103-(watts)	36W	18" x 42"
	50W	40" x 42"
	52W	44" x 42"
	53W	46" x 42"
	56W	50" x 42"
	59W	56" x 42"
	62W	60" x 42"
	67W	68" x 42"
	74W	80" x 42"
	81W	90" x 42"



Reference #	Watts	Dimensions
M-104-(watts)	29W	20" x 42"
	30W	42" x 42"
	36W	54" x 42"
	39W	60" x 42"



Reference #	Watts	Dimensions
M-105-(dimensions)	24W	24" x 36"
		24" x 42"
		41" x 42"
		43" x 42"
		47" x 42"
		48" x 42"
		52" x 42"
		64" x 42"
		67" x 42"
		75" x 42"
		76" x 42"
		88" x 42"



Reference #	Watts	Dimensions
M-106-(dimensions)	18W	24" x 32"
		24" x 36"

Quick Reference

LED Mirrors



Part#	Watts	Dimensions
M-107	29W	24" x 36"

Part#	Watts	Dimensions
M-108-(watts)	58W	24" x 36"
	78W	36" x 36"
	107W	60" x 36"

Part#	Watts	Dimensions
M-109-(watts)	46W	26" x 47"
	45W	33" x 49"
	62W	47" x 47"
	62W	47" x 48"

Quick Reference

Lamps & Bulbs



A19

Reference #	Base	Watts	Color Temp	Lumens
LED052	E26	7W	27K	800lm



A21

Reference #	Base	Watts	Color Temp	Lumens
LED054	E26	12W	27K	1,100lm



G25

Reference #	Base	Watts	Color Temp	Lumens
LED120	E26	4W	27K	420lm



G40

Reference #	Base	Watts	Color Temp	Lumens
LED136	E26	7W	27K	800lm



T10

Reference #	Base	Watts	Color Temp	Lumens
LED056	E26	4W	27K	420lm



ST19

Reference #	Base	Watts	Color Temp	Lumens
LED058	E26	7W	27K	800lm



B11
Torpedo

Reference #	Base	Watts	Color Temp	Lumens
LED024	E26	3W	27K	310lm



B11
Flame-Tip

Reference #	Base	Watts	Color Temp	Lumens
LED026	E26	3W	27K	310lm



B11
Torpedo

Reference #	Base	Watts	Color Temp	Lumens
LED020	E12	2.5W	27K	230lm



B11
Flame-Tip

Reference #	Base	Watts	Color Temp	Lumens
LED022	E12	2.5W	27K	230lm

Quick Reference

Lamps & Bulbs



A19

Reference #	Base	Watts	Color Temp	Lumens
LEDA102	E26	5W	27K	450lm
LEDA104	E26	5W	41K	450lm
LEDA110	E26	9W	27K	800lm
LEDA112	E26	9W	41K	800lm



A19

Reference #	Base	Watts	Color Temp	Lumens
LEDA106	GU24	5W	27K	450lm
LEDA108	GU24	5W	41K	450lm
LEDA114	GU24	9W	27K	800lm
LEDA116	GU24	9W	41K	800lm



A15

Reference #	Base	Watts	Color Temp	Lumens
LED210	E26	5.5W	27K	600lm
LED214	E26	5.5W	41K	600lm



BR20

Reference #	Base	Watts	Color Temp	Lumens
LED320	E26	6.5W	27K	460lm



BR30

Reference #	Base	Watts	Color Temp	Lumens
LED330	E26	9W	27K	650lm



BR40

Reference #	Base	Watts	Color Temp	Lumens
LED340	E26	13W	27K	1,050lm



PAR20

Reference #	Base	Watts	Color Temp	Lumens
LED420	E26	7W	27K	460lm



PAR30 Short Neck

Reference #	Base	Watts	Color Temp	Lumens
LED430	E26	11.5W	27K	850lm



PAR30 Long Neck

Reference #	Base	Watts	Color Temp	Lumens
LED432	E26	11.5W	27K	850lm



PAR38

Reference #	Base	Watts	Color Temp	Lumens
LED438	E26	13W	27K	1,050lm
LED440	E26	17W	27K	1,300lm

Quick Reference

Lamps & Bulbs



G25

Reference #	Base	Watts	Color Temp	Lumens
LED064	E26	7W	27K	500lm



MR16

Reference #	Base	Watts	Color Temp	Lumens
LED066	GU10	6W	30K	450lm



MR16

Reference #	Base	Watts	Color Temp	Lumens
LED068	E26	6W	30K	400lm



B11 Flame-Tip

Reference #	Base	Watts	Color Temp	Lumens
LED060	E12	5W	27K	500lm



B11 Flame-Tip

Reference #	Base	Watts	Color Temp	Lumens
LED062	E26	5W	27K	350lm



S14

Reference #	Base	Watts	Color Temp	Lumens
LED514	E26	2W	27K	150lm



Mini G4

Reference #	Base	Watts	Color Temp	Lumens
LED070	G4	2.5W	30K	200lm



Mini G9

Reference #	Base	Watts	Color Temp	Lumens
LED072	G9	2.5W	30K	200lm



PLC

Reference #	Base	Watts	Color Temp	Lumens
LED010	E26	5W	28K	450lm
LED012	E26	5W	41K	450lm



PLC

Reference #	Base	Watts	Color Temp	Lumens
LED005	GU24	5W	28K	450lm
LED006	GU24	5W	41K	450lm
LED007	GU24	7W	28K	700lm
LED008	GU24	7W	41K	700lm



PLC

Reference #	Base	Watts	Color Temp	Lumens
LED014	G23 2-Pin	5W	28K	450lm
LED016	G23 2-Pin	5W	41K	450lm
LED018	G24 4-Pin	7W	28K	700lm
AXLED019	G24 4-Pin	7W	41K	700lm



T8

Reference #	Length	Base	Watts	Color Temp	Lumens
LEDT800	24"	G13	9W	30K	900lm
LEDT801	48"	G13	18W	30K	1,800lm
LEDT802	24"	G13	9W	40K	900lm
LEDT803	24"	G13	9W	50K	900lm
LEDT804	48"	G13	18W	40K	1,800lm
LEDT805	48"	G13	18W	50K	1,800lm